

**AGENDA
OAKDALE IRRIGATION DISTRICT
BOARD OF DIRECTORS
REGULAR MEETING
JULY 7, 2026**

A complete copy of the Agenda packet will be available on the Oakdale Irrigation District website <https://www.oakdaleirrigation.com/>.

If you would like to join the meeting virtually instead of in person, please see the below options:

- To join the meeting via teleconference, [CLICK HERE](#) or go to <https://www.oakdaleirrigation.com/> and select "View Meetings Online".
- To participate in the meeting via telephone, dial in at 1 (669) 900-9128, Access Code: 358-572-1867 #, the message will ask for a participant ID, just press # again. If you experience technical difficulties, please contact our IT Systems Administrator Michael Ballinger at (209) 896-6887.

Public comments may be submitted in advance via email to smoody@oakdaleirrigation.com no later than 4:30 p.m. on the day before the meeting. If you wish to make public comments during the live teleconference, you may alert the Board President at the time public comments are called for. Pursuant to Government Code section 54954.3(b)(1), public comment on an Agenda Item is limited to five (5) minutes.

CALL TO ORDER: 9:00 a.m. – District Boardroom
1205 East F Street, Oakdale, California

PLEDGE OF ALLEGIANCE

ROLL CALL: Brad DeBoer, Jacob DeBoer, Herman Doornenbal, Tom Orvis, and Ed Tobias

ADDITION OR DELETION OF AGENDA ITEMS

ACTION TO TAKE VARIOUS ITEMS OUT OF SEQUENCE

PUBLIC COMMENT: The Board of Directors welcomes participation in its meetings. This time is provided for the public to address the Directors of the District on matters of concern that fall within the jurisdiction of the Board that are not on the agenda.

Because matters being discussed are not on the agenda there should be no expectation of discussion or comment by the Board except to properly refer the matter for review or action as appropriate. Matters concerning District operations or responsibilities can be addressed prior to Board meetings by contacting District Management or Directors. In this manner, your concerns can be addressed expeditiously.

The Oakdale Irrigation District Board pledges to be respectful, truthful, knowledgeable, productive and unified in conducting the people's business. The Board believes in conducting its business using respectful and civil dialogue and would request that the public conduct itself in a similar fashion in their presentations. Disrespectful and threatening behavior will not be tolerated.

It is not required, but speakers may provide their name and address. Public Comments will be limited to five minutes per speaker.

CONSENT CALENDAR

Page No.

- | | | |
|----|---|-----------|
| 1. | Approve the Board of Directors' Minutes of the Regular Meeting of June 2, 2026 | 6 |
| 2. | Approve Oakdale Irrigation District's Statement of Obligations | 12 |
| 3. | Approve OID Improvement Districts' Statement of Obligations | 18 |
| 4. | Approve the Treasurer's Report and Financial Statements for the Five Months Ending May 31, 2026 | 20 |
| 5. | Approve a Resolution to Abandon a Portion of the Gray Pipeline and Quitclaim its Deeded Easement (APN: 010-012-043) | 46 |

ACTION CALENDAR

- | | | |
|-----|--|------------|
| 6. | Review and Take Possible Action to Approve Work Release No. 5 to General Services Agreement 2023-GSA-022 with David's Engineering, Inc. for Design of the Robert Van Lier Regulating Reservoir Expansion Project | 52 |
| 7. | Review and Take Possible Action to Approve the Resolution Adopting the Revised Injury and Illness Prevention Program (IIPP) and Code of Safe Practices | 65 |
| 8. | Review and Take Possible Action to Approve the Resolution Adopting the Disruption of Telephonic or Internet Service During Board Meetings Policy | 100 |
| 9. | Review and Take Possible Action to Approve the Resolution Adopting the Revised Irrigation and Drainage Infrastructure Installation Policy | 107 |
| 10. | Review and Take Possible Action to Receive and File the Annual Financial Report for the Year Ended December 31, 2025 | 111 |

DISCUSSION ITEMS

- | | | |
|-----|--|------------|
| 11. | Discussion and Presentation on the District's Surface Water Diversions, Deep Well Production, and Sustainable Groundwater Management Act | 113 |
|-----|--|------------|

COMMUNICATIONS

- | | | |
|-----|---|------------|
| 12. | Correspondence | |
| | a. Thank You Letter from OID Scholarship Recipients Gracie Airola | 115 |
| 13. | Directors' Comments/Suggestions | |
| 14. | Committee Reports | |
| 15. | General Manager's Report on the Status of OID Activities | |

16. Water Counsel Report

CLOSED SESSION

17. CONFERENCE WITH LEGAL COUNSEL – ANTICIPATED LITIGATION
Pursuant to Government Code §54956.9(d)(4)
Two (2) matters
18. CONFERENCE WITH LEGAL COUNSEL – EXISTING LITIGATION
Pursuant to Government Code §54956.9(d)(1)
One (1) case
- a. Threfall Ranch LP v. Oakdale Irrigation District, et al
Superior Court of Stanislaus County
Case No. CV-24-006033
19. PERSONNEL MATTER
Pursuant to Government Code §54957(b)(1)

ADJOURNMENT

- The next Regular Board Meeting of the **Oakdale Irrigation District Board of Directors** is scheduled for **Tuesday, August 4, 2026, at 9:00 a.m.** in the boardroom at 1205 East F Street, Oakdale, CA.
- The next Joint Board Meeting of the **South San Joaquin and Oakdale Irrigation Districts** serving the **Tri-Dam Project** and **Tri-Dam Power Authority** and other joint business matters is scheduled for **Thursday, July 16, 2026, at 9:00 a.m.** in the boardroom at the office of Oakdale Irrigation District, 1205 East F Street, Oakdale, CA.

Writings distributed to Board Members in connection with the open session items on this agenda are available for public inspection in the office of the Board Secretary. Any person who has a question concerning any of the agenda items may call the Executive Assistant at (209) 840-5502.

ADA Compliance Statement: In compliance with the American Disability Act, if you need special assistance to participate in this meeting, please contact the Executive Assistant at (209) 840-5502. Notification 48 hours prior to the meeting will enable the District to make reasonable arrangements to ensure accessibility to this meeting.



PUBLIC COMMENT

BOARD MEETING OF
JULY 7, 2026



AGENDA ITEMS CONSENT CALENDAR

BOARD MEETING OF JULY 7, 2026

BOARD AGENDA REPORT

Date: July 7, 2026
Item Number: 1
APN: N/A

SUBJECT: APPROVE THE BOARD OF DIRECTORS' MINUTES OF THE REGULAR MEETING OF JUNE 2, 2026

RECOMMENDED ACTION: Approve the Board of Directors' Minutes of the Regular Meeting of June 2, 2026

BACKGROUND AND/OR HISTORY:

Draft Minutes of the Board of Directors' Regular Meeting of June 2, 2026

ATTACHMENTS:

- Draft Minutes – June 2, 2026
-

BOARD MOTION:

Motion by: _____ Second by: _____

VOTE:

B. DeBoer (Yes/No) J. DeBoer (Yes/No) Doornenbal (Yes/No) Orvis (Yes/No) Tobias (Yes/No)

ACTION(S) TO BE TAKEN:

MINUTES

REGULAR MEETING

Oakdale, California
June 2, 2026

The Board of Directors of the Oakdale Irrigation District invited all to recite the Pledge of Allegiance and then met in Session at the hour of 9:00 a.m.

ROLL CALL

Directors: Tom Orvis, President
Ed Tobias, Vice President
Brad DeBoer
Jacob DeBoer
Herman Doornenbal

Staff Present: Scot A. Moody, General Manager/Secretary
Sharon Cisneros, Chief Financial Officer
Eric Thorburn, Water Resources Manager/District Engineer
Kim Bukhari, Human Resources Manager
Emily Sheldon, Associate Engineer

Also Present: Fred Silva, General Counsel

ADDITION OR DELETION OF AGENDA ITEMS

General Manager Scot Moody requested that Item No. 7 be pulled and brought back to the July Regular Board Meeting.

ACTION TO TAKE VARIOUS ITEMS OUT OF SEQUENCE

There were no items taken out of sequence.

PUBLIC COMMENT

The Board welcomed public comments at the hour of 9:02 a.m. on items not on the agenda. Hearing none, the public comment period closed at 9:03 a.m.

CONSENT CALENDAR **ITEM NOS. 1-4**

1. Approve the Board of Directors Minutes of the Regular Meeting of May 12, 2026
2. Approve Oakdale Irrigation District's Statement of Obligations
3. Approve OID Improvement Districts' Statement of Obligations
4. Approve the Treasurer's Report and Financial Statements for the Four Months Ending April 31, 2026

A motion was made by Director B. DeBoer, and seconded by Director Doornenbal, to approve the above-noted Consent Item Nos. 1-4.

Roll Call Vote: Ayes — B. DeBoer, J. DeBoer, Doornenbal, Orvis, Tobias
 Noes — None
 Abstained — None
 Absent — None

The motion passed by a 5/0 vote.

ACTION CALENDAR

ITEM NO. / NOS. 5-6

ITEM NO. 5

**REVIEW AND TAKE POSSIBLE ACTION TO APPROVE THE ADOPTION OF A
RESOLUTION REQUESTING CONSOLIDATION OF THE OAKDALE
IRRIGATION DISTRICT ELECTION WITH THE NOVEMBER 3, 2026 GENERAL
ELECTION**

A motion was made by Director Tobias, and seconded by Director B. DeBoer, to approve the adoption of a resolution requesting consolidation of the Oakdale Irrigation District election with the November 3, 2026 statewide general election.

The Board welcomed public comments on Item No. 5 at 9:07 a.m. Hearing none, public comment closed at 9:07 a.m.

Roll Call Vote: Ayes — B. DeBoer, J. DeBoer, Doornenbal, Orvis, Tobias
 Noes — None
 Abstained — None
 Absent — None

The motion passed by a 5/0 vote.

ITEM NO. 6

**REVIEW AND TAKE POSSIBLE ACTION TO APPROVE THE ADOPTION OF A
RESOLUTION AUTHORIZING DISPOSITION OF JOINTLY-OWNED PROPERTY**

A motion was made by Director Doornenbal, and seconded by Director Tobias, to approve the adoption of a resolution authorizing the disposition of jointly-owned real property.

The Board welcomed public comments on Item No. 6 at 9:09 a.m. Hearing none, public comment closed at 9:10 a.m.

Roll Call Vote: Ayes — B. DeBoer, J. DeBoer, Doornenbal, Orvis, Tobias
 Noes — None
 Abstained — None
 Absent — None

The motion passed by a 5/0 vote.

DISCUSSION ITEM(S)

ITEM NOS. 7-8

ITEM NO. 7

**DISCUSSION AND PRESENTATION ON THE DISTRICT'S SURFACE WATER
DIVERSIONS, DEEP WELL PRODUCTION, AND SUSTAINABLE
GROUNDWATER MANAGEMENT ACT**

General Manager Scot Moody requested Item No. 7 be brought to the July Regular Board Meeting.

ITEM NO. 8

**DISCUSSION AND PRESENTATION ON THE DISTRICT'S PHASE 1
PAULSELL LATERAL EXPANSION PROJECT**

Emily Sheldon, OID Associate Engineer, provided a presentation and update on the Phase 1 Paulsell Lateral Expansion Project for the Board's information. The presentation included before-and-after photographs, project highlights, and key statistics demonstrating the benefits of this significant investment in the District's infrastructure and long-term water delivery system.

Following the presentation, Board members asked questions and provided comments. The Board expressed its appreciation to Ms. Sheldon and Eric Thorburn, OID Water Resources Manager/District Engineer, for their dedication and efforts in successfully completing the project.

A copy of the presentation may be found on the District website at www.oakdaleirrigation.com/paulsell-lateral-expansion-project.

COMMUNICATIONS

ITEM NOS. 9-12

ITEM NO. 9

DIRECTOR'S COMMENTS/SUGGESTIONS

Director Tobias thanked both Associate Engineer Emily Sheldon and District Engineer Eric Thorburn for the Phase 1 Paulsell Lateral Expansion Project update presentation. He stated that this project is a great investment, demonstrates forward thinking, and will bring a great return. He also extended his gratitude and appreciation to District staff for all they do.

Director Doornenbal echoed Director Tobias' thankfulness to Emily and Eric for their excellent work with the Paulsell Lateral project. He stated that he is proud of Oakdale Irrigation District and the staff who keep matters running smoothly.

Director Jacob DeBoer echoed previous comments, stating that he is thankful for the work that has gone into making the Paulsell Lateral project a success. He also thanked staff for managing two campuses, stating that he recognizes the work that it takes to keep an organization running across multiple sites. He said that he had the opportunity to attend the June Tri-Dam Board meeting at the Strawberry facility last month. He stated that he is thankful for the forethought of those who have come before him for putting that infrastructure into place.

Director Brad DeBoer expressed his gratitude to the staff for the presentation. He requested that the presentation be made available to the public. He also thanked the landowners who have worked with the District throughout the project. He reiterated the need for education on the power purchase contract, and he looks forward to the June Tri-Dam meeting to learn more. Additionally, he said that OID staff should be proud of the work that they do each day.

Director Orvis shared similar sentiments to previous comments, thanking staff for the hard work and time dedicated to making the Paulsell Lateral Expansion Project a success. He shared that there is a potential for a super El Niño and that the District should prudently plan and discussed the possibility of using control structures for flood control. He stated that an ACWA Region 4 meeting will be held next month. He also shared that while at the Stanislaus Ag Advisory meeting, he was informed about the potential risk to crops as a result of Sharpshooter bug infestations.

ITEM NO. 10

COMMITTEE REPORTS

Director Doornenbal attended the Water Advisory Committee and shared updates on the Tulloch Spillway Construction Design progress and the Vegetative Management Plan. He stated that the management plan will be brought to the Board in August.

No other committee reports were provided.

ITEM NO. 11

GENERAL MANAGER'S REPORT ON THE STATUS OF OID ACTIVITIES

General Manager Scot Moody thanked senior staff for their work on the Paulsell Lateral project. He stated his appreciation to the staff, saying they do a great job, and he is always confident in their work. He reiterated that the Stanislaus River forecast has changed from critically dry to dry, and the impacts this will have on the surrounding irrigation districts. Additionally, he shared the Agricultural Water Management Plan update with the Board. The plan update can be found on the District website. He stated that the main takeaway from the update is that OID groundwater pumping is very minimal. He also provided an update on the status of the Goad House property sale.

ITEM NO. 12

WATER COUNSEL REPORT

Stefanie Morris, Water Counsel, was not present at the meeting, and no water counsel report was provided.

President Orvis announced the items to be discussed in closed session, and the Board welcomed public comments on Item Nos. 13 - 15 at 10:31 a.m.

Public comment on Item Nos. 13 - 15 closed at 10:31 a.m. and the Board recessed.

The Board convened to closed session at 10:54 a.m.

CLOSED SESSION
ITEM NOS. 13 - 15

13. CONFERENCE WITH LEGAL COUNSEL – ANTICIPATED LITIGATION
Pursuant to Government Code §54956.9(d)(2)
Two (2) matters
14. CONFERENCE WITH LEGAL COUNSEL – EXISTING LITIGATION
Pursuant to Government Code §54956.9(d)(1)
Two (2) cases
 - a. San Joaquin Tributaries Authority, et al v. California State Water Resources Control Board
County of Sacramento Superior Court
Case No. JCCP 5013
 - b. Threfall Ranch LP v. Oakdale Irrigation District, et al
Superior Court of Stanislaus County
Case No. CV-24-006033
15. PERSONNEL MATTER
Pursuant to Government Code §54957(b)(1)

The Board reconvened to open session at 12:06 p.m. Coming out of closed session, President Orvis stated there were no reportable actions.

ADJOURNMENT

The Board meeting was adjourned at 12:07 p.m. The next Board Meeting of the **Oakdale Irrigation District Board of Directors** is scheduled for **Tuesday, July 7, 2026 at 9:00 a.m.** Details can be obtained by calling (209) 847-0341.

The next Joint Board Meeting of the **South San Joaquin and Oakdale Irrigation Districts** serving the **Tri-Dam Project** and **Tri-Dam Authority** and other joint business matters is scheduled for **Thursday, June 18, 2026, at 9:00 a.m.** in the boardroom at the office of South San Joaquin Irrigation District, 11011 E. Hwy 120, Manteca, CA 95356.

Attest:

Thomas D. Orvis, President
Board of Directors

Scot A. Moody
General Manager/Secretary

BOARD AGENDA REPORT

Date: July 7, 2026
Item Number: 2
APN: N/A

SUBJECT: APPROVE OAKDALE IRRIGATION DISTRICT'S STATEMENT OF OBLIGATIONS

RECOMMENDED ACTION: Approve Statement of Obligations

TOP TEN OBLIGATIONS

<u>Vendor</u>	<u>Purpose</u>	<u>Amount</u>
South San Joaquin Irrigation District	Paulsell Lateral Project March & April	\$ 755,763.27
Special District Risk Management	Workers Compensation 7/1/26 – 6/30/27	348,671.04
Sierra Mountain Construction	Paulsell Lateral – April	341,994.96
Internal Revenue Service	Payroll Taxes	208,976.09
Kaiser Foundation Health Plan, Inc.	Health Insurance June and July	185,871.67
Tashjian Towers Corporation	Scada Tower	181,729.49
CalPERS Retirement System	Retirement Contributions	140,042.33
L & S Trucking	Hauling Services	99,029.52
PG&E	Electricity April and May	98,954.86
CalNeva Water	Legal Matters	75,356.94
	Other Obligations:	756,859.29
	Total Obligations:	\$ 3,193,249.46

FISCAL IMPACT: \$3,193,249.46

ATTACHMENTS:

- Statement of Obligations – Check Register
-

Board Motion:

Motion by: _____ **Second by:** _____

VOTE:

B. DeBoer (Yes/No) J. DeBoer (Yes/No) Doornenbal (Yes/No) Orvis (Yes/No) Tobias (Yes/No)

Action(s) to be taken:

Statement of Obligations
 Check Register - May 20, 2026 - June 30, 2026



Oakdale Irrigation District
 1205 East F Street
 Oakdale, CA 95361

Check Date	Check No	Vendor Name	Amount	Description
5/22/2026	522261	Internal Revenue Service	\$ 68,323.36	Payroll Taxes
5/22/2026	522262	VOYA Retirement	16,126.18	Retirement Contribution
5/22/2026	522263	ICMA Retirement	159.04	Retirement Contribution
5/22/2026	522264	California Public Employees' Retirement System	46,756.52	Retirement Contribution
5/22/2026	522265	Employment Development Department	15,231.59	Payroll Taxes
5/27/2026	38678	Ace Hardware	211.62	Adapter Barbs, Battery, Hose Barbs, Male Adapter and Vinyl Tubing
5/27/2026	38679	Airgas USA, LLC	143.45	Nitrogen Cylinder
5/27/2026	38680	American Lumber Company	699.39	Lumber
5/27/2026	38681	Ameriflex	1,627.51	FSA-125
5/27/2026	38682	Applied Technology Group, Inc.	782.14	Radio Frequency Coordination With FCC
5/27/2026	38683	Berliner Cohen, LLP	18,695.00	Legal Matters
5/27/2026	38684	BG Agri Sales & Service	73.55	Camlocks, Hose Barbs and Union Valves
5/27/2026	38685	Bobcat Central, Inc.	138.30	Bonnet, Sleeve, O-Ring and Washer
5/27/2026	38686	CA Secretary of State	3,500.00	Form 645 Fees
5/27/2026	38687	CA Secretary of State	7,160.00	Form 645 Fees
5/27/2026	38688	Cal.Net	35.00	Oakdaleirrigation.com Domain Registration 6/1/26 - 6/1/27
5/27/2026	38689	California State Disbursement Unit	1,050.91	Wage Levy
5/27/2026	38690	CalNeva Water	56,141.94	Legal Matters
5/27/2026	38691	Central Irrigation Modesto, LLC	199.67	Couplers, Pipe and Elbows
5/27/2026	38692	City of Oakdale	80.00	OID Backflow Prevention Compliance
5/27/2026	38693	City of Oakdale Utilities	4,275.18	Water Usage 4/15/26 - 5/15/26 - ID 41 and OID Facilities
5/27/2026	38694	ClearChannelVM, LLC	43,390.89	Magnacide
5/27/2026	38695	Comcast Business	3,157.29	Ethernet - May
5/27/2026	38696	DeBoer, Jacob	224.64	Reimbursement Mileage, Parking and Per Diem ACWA Spring Conference
5/27/2026	38697	East Penn Manufacturing Co.	1,076.85	Batteries
5/27/2026	38698	First Choice Industrial Supply Inc.	1,353.81	Can Liners and Gloves
5/27/2026	38699	Fresno Valves & Castings, Inc.	5,775.48	Slide Gates
5/27/2026	38700	Galas, Vince	315.06	Refund Remaining CEQA Deposit 10 Year OOD Program
5/27/2026	38701	Garton Tractor, Inc.	11,265.59	Class Breaker UB403 750 FT LB
5/27/2026	38702	Grainger	1,010.08	Aluminum Round Tube, Hip Waders and Zep
5/27/2026	38703	Grover Landscape Services, Inc.	354.00	Sprinkler Repair
5/27/2026	38704	Haidlen Ford	3,112.73	Door Latch, Manifold Assemblies, Pump Repair Kit and Window Control Switch
5/27/2026	38705	Holt of California, Inc.	915.35	Belts, Filters, Housing Assembly, Pulley, Rings and Tensioner
5/27/2026	38706	Hunt & Sons LLC	13,257.82	Fuel
5/27/2026	38707	Interstate Truck Center	161.69	Hood Latch
5/27/2026	38708	Kaiser Foundation Health Plan, Inc.	89,384.04	Health Insurance - June
5/27/2026	38709	L & S Trucking	23,926.59	Hauling Service
5/27/2026	38710	Masellis Drilling Inc.	55,200.00	Hillsborough Estates Well #1 Repair
5/27/2026	38711	Microbac Laboratories, Inc.	1,415.00	Coliform Samples
5/27/2026	38712	Mission Uniform Service	677.82	Uniform Service
5/27/2026	38713	Modesto Steel Company, Inc.	1,000.87	Flat Bar and Round Bar
5/27/2026	38714	Morrill Industries, Inc.	11,596.95	Coupler Repair, Coupler Starters, Flanges and Gaskets
5/27/2026	38715	Motor Parts Distributors, Inc.	112.41	Diesel Emission Fluid
5/27/2026	38716	MRC Smart Technology Solutions Inc.	1.08	Copier Usage 5/18/26- 6/17/26
5/27/2026	38717	NAPA Auto Parts of Escalon	1,180.11	Brake Pads, Rotors, Stabilizer Shocks, Steering Tie Rods and Track Bar
5/27/2026	38718	Oak Valley Hospital District	75.00	DOT Medical Exam
5/27/2026	38719	Oakdale Golf & County Club, Inc.	86.82	Lunch - Moody, Orvis and Tobias
5/27/2026	38720	Oakdale Locksmith	27.64	Keys
5/27/2026	38721	ODP Business Solutions LLC	318.67	Office Supplies
5/27/2026	38722	Operating Engineers Union Local No. 3	2,808.00	Union Dues
5/27/2026	38723	P & L Concrete Products, Inc.	766.96	Cement
5/27/2026	38724	P G & E	43,135.42	Electricity - April
5/27/2026	38725	Portola Systems, Inc.	903.47	Microsoft 365 - May
5/27/2026	38726	Principal Life Insurance Company	633.48	Life Insurance - June
5/27/2026	38727	Quikrete - Sacramento	2,513.51	Redi- Mix and TID Mix
5/27/2026	38728	Roland Construction, Inc.	25,000.00	Greger Facility - Retention Payable
5/27/2026	38729	Safe-T-Lite of Modesto, Inc.	1,052.50	Powder Hydration, Traffic Cones and Channelizers
5/27/2026	38730	South San Joaquin Irrigation District	53,183.45	Canyon Tunnel Joint Project
5/27/2026	38731	Tashjian Towers Corporation	181,729.49	Scada Tower - Assemble and Erect 190 ft. Tower
5/27/2026	38732	TechnoFlo Systems	963.71	Test and Repair McCrometer Meter
5/27/2026	38733	Tim O'Laughlin A Professional Law Corporation	53,060.97	Legal Matters
5/27/2026	38734	Tri-West Tractor Incorporated	189.85	Filters
5/27/2026	38735	UBEO Business Services	102.28	DSO Copier Usage 2/22/26 - 5/21/26
5/27/2026	38736	United Rentals (North America) , Inc.	1,426.22	Equipment Rental - Forklift

Statement of Obligations
 Check Register - May 20, 2026 - June 30, 2026



Oakdale Irrigation District
 1205 East F Street
 Oakdale, CA 95361

Check Date	Check No	Vendor Name	Amount	Description
5/27/2026	38737	Valley Tire Sales, Inc.	20.00	Tire Castings Disposal Fees
5/27/2026	38738	Whip Around, Inc.	149.00	Vehicle Maintaince And Tracking - 2 Vehicles Added
5/27/2026	38739	White Cap Construction Supply	276.26	Hex Nuts and Wedge Anchors
5/28/2026	528261	Modesto Irrigation District	2,321.61	Electricity Usage 4/7/26 - 5/7/26
5/30/2026	530261	Samba Holdings, Inc.	224.92	Fleet Watch - April
6/2/2026	602261	Internal Revenue Service	1,080.42	Payroll Taxes
6/2/2026	602262	Employment Development Department	30.79	Payroll Taxes
6/2/2026	602263	Bluefin	285.05	Merchant Services - May 2026
6/2/2026	602264	Merchant Services Inc.	920.76	Merchant Services - May 2026
6/2/2026	602265	CTC-VIS Air Resources Board	128.52	2026 Compliance Fee - June
6/3/2026	603261	OID Improvement Districts	20,477.25	May 2026 ID Collections
6/5/2026	605261	VOYA Retirement	16,281.42	Retirement Contribution
6/5/2026	605262	California Public Employees' Retirement System	46,161.68	Retirement Contribution
6/5/2026	605263	Internal Revenue Service	70,016.48	Payroll Taxes
6/5/2026	605264	ICMA Retirement	158.60	Retirement Contribution
6/5/2026	605265	Employment Development Department	15,828.51	Payroll Taxes
6/5/2026	605266	Visa	2,249.97	Antenna, Name Plates and Software Subscriptions
6/10/2026	38740	Ace Hardware	48.50	Adapter, Contracor Bags, Coupler, Drill Bit Tap and Hose Clamp
6/10/2026	38741	Airgas USA, LLC	147.29	Nitrogen Cylinder
6/10/2026	38742	Amazon Capital Services	5,005.77	Batteries, Blower, Chlorine, Cordeless Impact Wrench, Filters, Fuses, Gas Cans, Gloves and Saw Blades
6/10/2026	38743	Ameriflex	1,967.51	FSA-125
6/10/2026	38744	Anthony J. Prieto Water Well Drilling, Inc.	14,782.97	Thornton Deep Well #2 Retention Payable
6/10/2026	38745	Ballinger, Michael	735.27	Productivity Enhancement Certificates Payout
6/10/2026	38746	Bobcat Central, Inc.	683.82	Seals
6/10/2026	38747	Brady Industries	67.80	Bath Tissue
6/10/2026	38748	C.J. Brown & Company, CPA's	2,690.00	Audit Service Financial Statements December 31, 2026
6/10/2026	38749	California State Disbursement Unit	1,050.91	Wage Levy
6/10/2026	38750	Casey Logistics Inc.	96.00	Shredding Service - May
6/10/2026	38751	Central Valley Ag Grinding, Inc.	443.00	Green Waste
6/10/2026	38752	ClearChannelVM, LLC	99.20	Application Hose and 2,4- DNPH Reagent
6/10/2026	38753	Cole Land Surveyors Inc.	1,350.00	Paulsell Lateral, Root Lateral and RVL Reservoir Expansion
6/10/2026	38754	Colonial Life	2,310.18	Supplemental Life Insurance - May
6/10/2026	38755	Comcast Business	455.30	Office Phone Charges - June
6/10/2026	38756	Cutting Edge Supply	2,190.21	Blades, Bits, Bolts and Flex Pins
6/10/2026	38757	Da Silva, Sofia	50.00	FFA Individual Sponsorship
6/10/2026	38758	First Choice Industrial Supply Inc.	512.05	Cups, Gloves, Paper Towels and Tissue
6/10/2026	38759	Fuller, Bobbi	50.00	2026 FFA Individual Sponsorship
6/10/2026	38760	George Reed, Inc.	1,006.37	AB-CL II (19MM) and HMA 3/8 (9.5MM)
6/10/2026	38761	Gilton Solid Waste Management, Inc.	814.31	Refuse - May
6/10/2026	38762	Green Rubber-Kennedy Ag	28.68	Camlocks
6/10/2026	38763	Grover Landscape Services, Inc.	567.10	Landscape Maintenance - May
6/10/2026	38764	Guerrero, Jackson	50.00	2026 Sierra 4H Individual Sponsorship
6/10/2026	38765	Guerrero, Madison	50.00	2026 Sierra 4H Individual Sponsorship
6/10/2026	38766	Haidlen Ford	8,134.02	Alternator Assembly, Automatic Transmission, Belt, Oil Cooler Assembly and Water Pump Assembly
6/10/2026	38767	Hohenwarter, Aubrey	50.00	2026 Escalon FFA - Individual Sponsorship
6/10/2026	38768	Hunt & Sons LLC	23,816.41	Fuel
6/10/2026	38769	Jani cs Enterprises LLC	3,393.21	Janitorial Service -May
6/10/2026	38770	Jorgensen Company	1,353.07	Gas Detector Repairs
6/10/2026	38771	Kale, Gayson	50.00	2026 4H Individual Sponsorship
6/10/2026	38772	Ketchum Jr., Castle	152.11	Mileage Reimbursement Backflow Testing and After Hours Service Calls
6/10/2026	38773	L & S Trucking	28,248.48	Hauling Service
6/10/2026	38774	McClatchy Company, LLC	815.00	Digital Recruitment 5/1/26 - 5/15/26 Construction & Maintenance
6/10/2026	38775	McCormick, Amanda	92.03	Reimburse Notary Exam Fee, Lunch, Mileage and Parking
6/10/2026	38776	Microbac Laboratories, Inc.	2,265.75	Bac T Samples
6/10/2026	38777	Mission Uniform Service	646.36	Uniform Service
6/10/2026	38778	Modesto Steel Company, Inc.	91.66	Galvanized Angle Iron
6/10/2026	38779	Motor Parts Distributors, Inc.	342.19	Belt Tensioner, Diesel Emission Fluid and Pulley
6/10/2026	38780	Oak Valley Hospital District	150.00	DOT Medical Exams
6/10/2026	38781	Oakdale Golf & County Club, Inc.	148.75	Post Board Lunch
6/10/2026	38782	O'Brien, Brenden	360.00	Productivity Enhancement Certificate Payout
6/10/2026	38783	ODP Business Solutions LLC	611.28	Office Supplies
6/10/2026	38784	Ontel Security Services, Inc.	300.00	Security Monitoring Service - May
6/10/2026	38785	P & L Concrete Products, Inc.	744.66	Concrete
6/10/2026	38786	Pakmail	84.09	Warranty Shipping

Statement of Obligations
 Check Register - May 20, 2026 - June 30, 2026



Oakdale Irrigation District
 1205 East F Street
 Oakdale, CA 95361

Check Date	Check No	Vendor Name	Amount	Description
6/10/2026	38787	Provost & Pritchard Consulting Group, Inc.	3,028.23	Country ClubWell #3, Thornton Deep Well #2 and OID Hazard Inspections and Reporting
6/10/2026	38788	Regional Government Services Authority	6,615.40	Classification and Compensation Study - April
6/10/2026	38789	Rubicon, Inc.	45,877.47	Control Engineering and First-Year Implementation, Paulsell Project
6/10/2026	38790	Santos, Marie	12.27	Refund Check 003450-000, 9904 Foxborough Drive
6/10/2026	38791	Sheldon, Emily	184.40	Reimbursement Mileage and Per Diem - SJ Valley Water Summit CSU Fresno
6/10/2026	38792	Springbrook Holding Company, LLC	188.00	CivicPay - May
6/10/2026	38793	Stanislaus County Department of Public Works	398.00	Maintenance Agreement - Consoli Pipeline APN#064-026-022
6/10/2026	38794	Thorburn, Eric	180.00	Reimburse CA Board For Professional Engineers License Renewal
6/10/2026	38795	TP Express	1,875.00	Regular Portable and Single Towable Restrooms- June
6/10/2026	38796	Tri-West Tractor Incorporated	422.74	Guides and Panel
6/10/2026	38797	United Rentals (North America) , Inc.	2,906.62	Equipment Rental - Forklift and Telescopic Boom
6/10/2026	38798	Valley Ag Water Coalition	5,000.00	2026 Membership Dues - 2nd Installment
6/10/2026	38799	Verizon	1,540.48	Vehicle Tracking Service - May
6/10/2026	38800	White Cap Construction Supply	614.66	Drill Bits, Gas Cans and Water Cooler
6/10/2026	38801	Wienhoff Drug Testing, Inc.	85.00	Random Drug Testing - Non Dot
6/11/2026	611261	AmeriFlex	290.20	FSA Administration Fees - June
6/18/2026	618261	California Public Employees' Retirement System	47,124.13	Retirement Contribution
6/18/2026	618262	VOYA Retirement	16,280.03	Retirement Contribution
6/18/2026	618263	ICMA Retirement	164.73	Retirement Contribution
6/18/2026	618264	Employment Development Department	15,598.17	Payroll Taxes
6/18/2026	618265	Internal Revenue Service	69,555.83	Payroll Taxes
6/24/2026	38802	27 Virtual Consulting, LLC	9,097.37	Vmware vSphere Software Subscription
6/24/2026	38803	Ace Hardware	3.94	Distilled Water
6/24/2026	38804	ACWA-JPIA	9,017.48	Dental and Vision Insurance - July
6/24/2026	38805	Airgas USA, LLC	1,012.55	Acetylene, Nitrogen, Oxygen and Mig Gun Assembly
6/24/2026	38806	Ameriflex	1,627.51	FSA-125
6/24/2026	38807	AT&T Mobility	2,616.43	Cell Phone and Ipad Charges - June
6/24/2026	38808	Bailey, Christine	24.91	Uniform Reimbursement
6/24/2026	38809	Bennett West LLC	34,933.04	Elbows, Pipe, Primer, Tees
6/24/2026	38810	Berliner Cohen, LLP	11,529.50	Legal Matters
6/24/2026	38811	California State Disbursement Unit	1,050.91	Wage Levy
6/24/2026	38812	CalNeva Water	19,215.00	Legal Matters
6/24/2026	38813	Chicago Title Co.	43.43	Refund Overpayment APN: 002-013-034 11776 Victory Ave Oakdale
6/24/2026	38814	Coffee Break Service, Inc.	225.78	Coffee Service
6/24/2026	38815	Comcast Business	3,157.29	Office Ethernet Charges
6/24/2026	38816	Conlin Supply Co., Inc.	154.50	Safety Tees - Lawson
6/24/2026	38817	Dauids Engineering, Inc.	18,231.15	Pulsell Lateral - May
6/24/2026	38818	Doerksen, Grant	1,150.00	Reimburse Engineering Education Training Water Resources
6/24/2026	38819	F&M Bank	17,999.73	Sierra Mountain #8 April Retention Payable
6/24/2026	38820	Famiy Vision Care Optometry	280.00	Safety Glasses - Nall
6/24/2026	38821	Fastenal Company	761.45	Screws, Towelets and Washers
6/24/2026	38822	First American Title Company	205.39	Refund Overpayment APN: 062-019-36 File # 11827-7352373
6/24/2026	38823	Fragie, Will	100.68	Reimburse Supplemental Life Insurance Contributions
6/24/2026	38824	Fresno Valves & Castings, Inc.	355.10	YW Bar for Gate
6/24/2026	38825	George W. Lowry, Inc.	2,990.98	Mobile Grease
6/24/2026	38826	Gilton Solid Waste Management, Inc.	104.00	Refuse - May
6/24/2026	38827	Grainger	73.17	Electrical Tape
6/24/2026	38828	Grating Pacific, Inc.	2,893.21	Welded Steel Grating
6/24/2026	38829	Grover Landscape Services, Inc.	114.27	Broken Sprinkler Repair
6/24/2026	38830	Hagman, Geoffrey	180.00	Productivity Enhancement Certificates Payout
6/24/2026	38831	Haidlen Ford	2,581.03	Brake Pads, Caliper Assembly, Filters, Hose Overflow Kit, Rotor Assemblies and Sensor
6/24/2026	38832	Hunt & Sons LLC	12,600.81	Fuel
6/24/2026	38833	Interstate Truck Center	1,201.12	Filters, Fuel Water Seperator and Plugs
6/24/2026	38834	Jorgensen Company	31.43	Bottle Gauge
6/24/2026	38835	Kaiser Foundation Health Plan, Inc.	96,487.63	Health Insurance - July
6/24/2026	38836	King, Caleb	119.98	Reimburse Supplemental Life Insurance Contributions
6/24/2026	38837	L & S Trucking	46,854.45	Hauling Service
6/24/2026	38838	LSA Associates, Inc.	4,710.74	Paulsell Lateral - May
6/24/2026	38839	Lusk, Jonathan	50.00	2026 FFA Individual Sponsorship
6/24/2026	38840	Lusk, Malorie	50.00	2026 FFA Individual Sponsorship
6/24/2026	38841	McDonald-Serpa, Hayli	50.00	2026 FFA Individual Sponsorship
6/24/2026	38842	Mecom Equipment, LLC	136.00	Decals and Handle
6/24/2026	38843	Mercer, Emily	50.00	2026 4H Individual Sponsorship
6/24/2026	38844	Microbac Laboratories, Inc.	624.00	Bac T Samples

Statement of Obligations
 Check Register - May 20, 2026 - June 30, 2026



Oakdale Irrigation District
 1205 East F Street
 Oakdale, CA 95361

Check Date	Check No	Vendor Name	Amount	Description
6/24/2026	38845	Mission Uniform Service	701.32	Uniform Service
6/24/2026	38846	Mitchell, Cassidy	50.00	2026 4H Individual Sponsorship
6/24/2026	38847	Mitchell, Dakota	50.00	2026 4H Individual Sponsorship
6/24/2026	38848	Mitchell, Skyler	50.00	2026 FFA Individual Sponsorship
6/24/2026	38849	Moore Quality Galvanizing L.P.	535.03	Galvanizing Handrails, Ladder and Stilling Well
6/24/2026	38850	Morrill Industries, Inc.	478.77	Coupler Repair 15"
6/24/2026	38851	NAPA Auto Parts of Escalon	132.97	Brake Pads and Filters
6/24/2026	38852	ODP Business Solutions LLC	1,141.04	Office Supplies
6/24/2026	38853	Operating Engineers Union Local No. 3	2,808.00	Union Dues
6/24/2026	38854	P G & E	55,819.44	Electricity May 2026
6/24/2026	38855	Portola Systems, Inc.	903.47	Microsoft 365 - June
6/24/2026	38856	Principal Life Insurance Company	652.11	Life Insurance - July
6/24/2026	38857	Provost, Chloe	50.00	2026 4H Individual Sponsorship
6/24/2026	38858	Provost & Pritchard Consulting Group, Inc.	6,140.22	Howard Deep Well #2 and Paulsell Lateral
6/24/2026	38859	Rayco Industrial Supply	743.26	Heavy Duty Oil Hose and Reel
6/24/2026	38860	Regional Government Services Authority	2,291.90	Classification and Compensation Study - May
6/24/2026	38861	Senix - Division of Garner Industries, LLC	1,403.61	Senix - Toughsonic 14 Level Sensor
6/24/2026	38862	Sierra Mountain Construction, Inc.	341,994.96	Paulsell Lateral - April
6/24/2026	38863	Smith, Madilyn	50.00	2026 FFA Individual Sponsorship
6/24/2026	38864	South San Joaquin Irrigation District	702,579.82	WO#1902 - Joint Main Canyon Tunnel Project
6/24/2026	38865	Special District Risk Management Authority	348,671.04	Workers' Compensation 7/1/26 - 6/30/27
6/24/2026	38866	Sutter Health Plus	12,794.12	Health Insurance - July
6/24/2026	38867	Target Specialty Products	8,060.41	Capstone and Round Up Pro
6/24/2026	38868	Tifco Industries, Inc.	253.25	Screws
6/24/2026	38869	Tri-West Tractor Incorporated	1,487.28	Bolts, Cover Assembly, Filters, Nuts, O-Rings, Packing and Wiper Arm
6/24/2026	38870	United Rentals (North America) , Inc.	4,213.62	Equipment Rental: Roller-Vib Single Drum
6/24/2026	38871	Valley Tire Sales, Inc.	2,728.42	Tires
6/24/2026	38872	Verizon Wireless	676.52	Cell Phone and Ipad Charges - May
6/24/2026	38873	Webb, Clara	50.00	2026 FFA Individual Sponsorship
6/24/2026	38874	Xavier, Roman	50.00	2026 4H Individual Sponsorship
6/24/2026	38875	Carahsoft	4,812.50	Rapid7 Software Subscription Renewal
6/29/2026	629261	Modesto Irrigation District	3,041.35	Electricity Usage 5/7/26 - 6/5/26
6/30/2026	630261	Samba Holdings, Inc.	231.22	Fleet Watch May 2026
			<u>\$ 3,193,249.46</u>	

OAKDALE IRRIGATION DISTRICT
STATEMENT OF OBLIGATIONS
July 7, 2026

THE FOREGOING CLAIMS, NUMBERED 38678 THROUGH 38875, 522261 THROUGH 522265, 528261, 530261, 602261 THROUGH 602265, 603261, 605261 THROUGH 605266, 611261, 618261 THROUGH 618265, 629261, 630261 INCLUSIVE ARE APPLIED TO THE GENERAL FUND OF OAKDALE IRRIGATION DISTRICT AND ARE OBLIGATIONS AUTHORIZED THERETO.

BOARD AGENDA REPORT

Date: July 7, 2026
Item Number: 3
APN: N/A

SUBJECT: APPROVE OID IMPROVEMENT DISTRICTS' STATEMENT OF OBLIGATIONS

RECOMMENDED ACTION: Approve OID Improvement Districts' Statement of Obligations

<u>Vendor</u>	<u>Purpose</u>	<u>Amount</u>
Oakdale Irrigation District	May O & M Expenses	\$28,098.36

FISCAL IMPACT: \$28,098.36

ATTACHMENTS:

- Statement of Obligations – Improvement Districts

Board Motion:

Motion by: _____ Second by: _____

VOTE:

B. DeBoer (Yes/No) J. DeBoer (Yes/No) Doornenbal (Yes/No) Orvis (Yes/No) Tobias (Yes/No)

Action(s) to be taken:

**OAKDALE IRRIGATION DISTRICT
IMPROVEMENT DISTRICT ACCOUNT**

ACH

DATE: 6/22/2026		TO: Oakdale Irrigation District			
MAINTENANCE PAYABLE					
I.D. #	May O & M Expense	I.D. #	May O & M Expense		
1		31			Note: Included Misc. Recon. Items
2		36			
8		38			
13		41	3,503.61		
19	20.67	45	6,672.72	I.D.#	Capital Project
20		46	8,528.07		
21		48	2,814.71		
22	1,319.56	51	5,211.55		
26				I.D.#	Emergency Repairs
29	27.47				
SUB-TOTAL	\$1,367.70	SUB-TOTAL	\$26,730.66	SUB-TOTAL	\$0.00
VOUCHER CHARGES					
Maintenance & Operations					\$28,098.36
Prepaid Expense					
Capital Projects					\$0.00
TOTAL AMOUNT					\$28,098.36

THE FOREGOING CLAIM DATED 6/22/2026 WAS APPLIED TO
GENERAL FUNDS OF THE OAKDALE IRRIGATION'S IMPROVEMENT
DISTRICTS AND ARE AUTHORIZED THERETO.

BOARD AGENDA REPORT

Date: July 7, 2026
Item Number: 4
APN: N/A

SUBJECT: REVIEW AND TAKE POSSIBLE ACTION TO APPROVE THE TREASURER'S REPORT AND FINANCIAL STATEMENTS FOR THE FIVE MONTHS ENDING MAY 31, 2026

RECOMMENDED ACTION: Approve the Treasurer's Report and Financial Statements for the Five Months Ending May 31, 2026

BACKGROUND AND/OR HISTORY:

The Treasurer's report provides the total Treasury and Improvement District Funds as of May 31, 2026. The month ended with \$44.7 million in designated reserves, \$1.5 million in restricted cash and \$32.8 million in operating cash.

As of the financial statement date of May 31, 2026, the District realized 73.0% of the operating budget revenues and 65.8% of total budget revenues, and actual expenditures (including capital projects and purchases) utilized 34.1% of the budgeted expenditures. Additional information is provided within the attached reports.

Tri-Dam revenues are \$2.1M over the 2026 budget, with the July distribution remaining to be paid for the year.

FISCAL IMPACT: None

ATTACHMENTS:

- Treasurer's Report
 - Monthly Financial Report (*unaudited*)
-

Board Motion:

Motion by: _____ **Second by:** _____

VOTE

B. DeBoer (Yes/No) J. DeBoer (Yes/No) Doornenbal (Yes/No) Orvis (Yes/No) Tobias (Yes/No)

Action(s) to be taken:

OAKDALE IRRIGATION DISTRICT



TREASURER'S REPORT FOR THE PERIOD ENDING MAY 31, 2026

TREASURER'S REPORT TO THE BOARD OF DIRECTORS
OAKDALE IRRIGATION DISTRICT
STATEMENT OF FUNDS
FOR THE PERIOD ENDING MAY 31, 2026

<u>PERIOD ENDING</u>	<u>5/31/2026</u>	<u>RATE</u>	<u>4/30/2026</u>	<u>NET CHANGE</u>
<u>OAKDALE IRRIGATION DISTRICT FUNDS</u>				
LAIF	\$198,743.60	3.81%	\$198,743.60	\$0.00
OAK VALLEY COMMUNITY BANK	8,796,989.67		8,111,372.78	685,616.89
US BANK	68,518,460.54	3.80%	68,348,065.24	170,395.30
	<i>TOTAL TREASURY FUNDS</i>		76,658,181.62	856,012.19
<u>IMPROVEMENT DISTRICT FUNDS</u>				
IMPROVEMENT DISTRICT'S FUNDS	1,497,850.18		1,519,637.76	(21,787.58)
	<i>TOTAL IMPROVEMENT DISTRICT FUNDS</i>		1,519,637.76	(21,787.58)
	<u>TOTAL TREASURY AND IMPROVEMENT DISTRICT FUNDS</u>		<u>\$78,177,819.38</u>	<u>\$834,224.61</u>

**OAKDALE IRRIGATION DISTRICT
FOR THE PERIOD ENDING MAY 31, 2026**

DISTRICT CASH AND CASH EQUIVALENTS		5/31/2026	5/31/2025	NET CHANGE
Beginning Balance: 5/1/2026		\$76,658,181.62		
Receipts / Earnings / Transfers		2,785,731.11		
Expenditures / Transfers		(1,929,718.92)		
TOTAL DISTRICT TREASURY FUNDS ON HAND:	5/31/2026	\$77,514,193.81	\$79,394,858.48	(\$1,880,664.67)
<u>GENERAL FUND</u>				
Beginning Balance: 5/1/2026		\$31,927,589.16		
<u>RECEIPTS / EARNINGS</u>				
Net Investment Income	184,081.18			
Collection Receipts	2,574,740.51			
Transfer from ID's	26,909.42			
Total Receipts:		2,785,731.11		
<u>EXPENDITURES</u>				
Accounts Payable	1,535,669.22			
Payroll	389,205.68			
Transfer to ID's	4,844.02			
Total Expenditures:		(1,929,718.92)		
BALANCE ON HAND:	5/31/2026	\$32,783,601.35	\$35,061,991.31	(\$2,278,389.96)
<u>DESIGNATED FUNDS:</u>				
<u>JOINT CANYON TUNNEL PROJECT RESERVE</u>				
Beginning Balance: 5/1/2026		\$21,312,205.26		
Transfer from General Fund		0.00		
Transfer Funds to General Fund		0.00		
BALANCE ON HAND:		\$21,312,205.26	\$13,925,843.54	\$7,386,361.72
<u>CAPITAL REPLACEMENT / IMPROVEMENT RESERVE</u>				
Beginning Balance: 5/1/2026		\$3,282,810.81		
Transfer from General Fund		0.00		
Transfer to General Fund		0.00		
BALANCE ON HAND:	5/31/2026	\$3,282,810.81	\$5,936,296.54	(\$2,653,485.73)
<u>DEBT SERVICE RESERVE</u>				
Beginning Balance: 5/1/2026		\$13,000,000.00		
Transfer from General Fund		0.00		
Transfer Funds to General Fund		0.00		
BALANCE ON HAND:		\$13,000,000.00	\$13,000,000.00	\$0.00

OAKDALE IRRIGATION DISTRICT
FOR THE PERIOD ENDING MAY 31, 2026

DISTRICT CASH AND CASH EQUIVALENTS	5/31/2026	5/31/2025	NET CHANGE
<u>OPERATING FACILITY PROJECT RESERVE</u>			
Beginning Balance: 5/1/2026	\$0.00		
Transfer from General Fund	0.00		
Transfer Funds to General Fund	0.00		
BALANCE ON HAND:	\$0.00	\$4,431,444.69	(\$4,431,444.69)
<u>MUNICIPAL CONSERVATIONPROJECT RESERVE</u>			
Beginning Balance: 5/1/2026	\$5,807.40		
Transfer from General Fund	0.00		
Transfer Funds to General Fund	0.00		
BALANCE ON HAND:	\$5,807.40	\$5,807.40	\$0.00
<u>RATE STABILIZATION AND OPERATIONS DESIGNATED RESERVE</u>			
Beginning Balance: 5/1/2026	\$2,507,937.96		
Transfer from General Fund	0.00		
Transfer Funds to General Fund	0.00		
BALANCE ON HAND:	\$2,507,937.96	\$2,507,937.96	\$0.00
<u>RURAL WATER SYSTEM CAPITAL REPLACEMENT / IMPROVEMENT RESERVE</u>			
Beginning Balance: 5/1/2026	\$803,073.77		
Transfer from General Fund	0.00		
Transfer to General Fund	0.00		
BALANCE ON HAND: 5/31/2026	\$803,073.77	\$1,144,514.99	(\$341,441.22)
<u>VEHICLE AND EQUIPMENT REPLACEMENT RESERVE</u>			
Beginning Balance: 5/1/2026	\$1,408,526.16		
Transfer from General Fund	0.00		
Transfer Funds to General Fund	0.00		
BALANCE ON HAND: 5/31/2026	\$1,408,526.16	\$1,267,321.37	\$141,204.79
<u>BUILDING AND FACILITIES IMPROVEMENT PROJECT RESERVE</u>			
Beginning Balance: 5/1/2026	\$1,025,000.00		
Transfer from General Fund	0.00		
Transfer to General Fund	0.00		
BALANCE ON HAND: 5/31/2026	\$1,025,000.00	\$1,025,000.00	\$0.00
<u>EMPLOYEE COMPENSATION ABSENCES RESERVE</u>			
Beginning Balance: 5/1/2026	\$1,385,231.10		
Transfer from General Fund	0.00		
Transfer to General Fund	0.00		
BALANCE ON HAND: 5/31/2026	\$1,385,231.10	\$1,088,700.68	\$296,530.42

OAKDALE IRRIGATION DISTRICT
 FOR THE PERIOD ENDING MAY 31, 2026

DISTRICT CASH AND CASH EQUIVALENTS 5/31/2026 5/31/2025 NET CHANGE

RESTRICTED FUNDS

IMPROVEMENT DISTRICT'S FUNDS

Beginning Balance: 5/1/2026	\$1,519,637.76		
Receipts - Transfer from OID	4,844.02		
Net Investment Income	277.82		
Expenditures-Transfer to OID	(26,909.42)		
BALANCE ON HAND: 5/31/2026	\$1,497,850.18	\$1,469,512.06	\$28,338.12

FILED: June 22, 2026

STATE OF CALIFORNIA / COUNTY OF STANISLAUS




OAKDALE IRRIGATION DIST
ACCOUNT NUMBER: [REDACTED]

Page 1 of 14
May 1, 2026 to May 31, 2026

MARKET VALUE SUMMARY

	Current Period 05/01/26 to 05/31/26	Year-to-Date 01/01/26 to 05/31/26
Beginning Market Value	\$68,348,065.24	\$67,762,881.79
Taxable Interest	309,886.37	899,131.30
Fees and Expenses		-21,594.35
Change in Investment Value	-139,491.07	-121,958.20
Ending Market Value	\$68,518,460.54	\$68,518,460.54






OAKDALE IRRIGATION DIST
ACCOUNT NUMBER: [REDACTED]


Page 2 of 14
May 1, 2026 to May 31, 2026

ASSET SUMMARY

Assets	Current Period Market Value	% of Total	Estimated Annual Income
Cash & Equivalents	48,450,354.64	70.70	1,781,209.71
Taxable Bonds	20,068,105.90	29.30	827,378.35
Total Market Value	\$68,518,460.54	100.00	\$2,608,588.06



Fixed Income Summary






OAKDALE IRRIGATION DIST
ACCOUNT NUMBER: [REDACTED]

Page 3 of 14
May 1, 2026 to May 31, 2026

INCOME SUMMARY

	Income Received Current Period	Income Received YTD
Taxable Interest	309,886.37	899,131.30
Total Current Period Income	\$309,886.37	\$899,131.30





OAKDALE IRRIGATION DIST

ACCOUNT NUMBER: [REDACTED]

Page 4 of 14

May 1, 2026 to May 31, 2026

CASH SUMMARY

	Cash
Beginning Cash 05/01/2026	\$0.00
Taxable Interest	309,886.37
Purchases	-7,380,745.02
Sales	7,389,436.50
Net Money Market Activity	-318,577.85
Ending Cash 05/31/2026	\$0.00



OAKDALE IRRIGATION DIST

ACCOUNT NUMBER: [REDACTED]

Page 5 of 14

May 1, 2026 to May 31, 2026

ASSET DETAIL

Security Description

Shares/Face Amt	Price	Market Value	Tax Cost	Unrealized Gain/Loss	Percent of Total Portfolio	Estimated Annual Income	Estimated Current Yield
Cash & Equivalents							
Cash/Money Market							
Cisco Sys Inc Disc Coml Paper C P - 17277BG17 07/01/2026							
1,000,000.000	99.6930	996,930.00	989,895.83	7,034.17	1.5	38,020.85	3.81
Cisco Sys Inc Disc Coml Paper C P - 17277BHM0 08/21/2026							
1,000,000.000	99.1430	991,430.00	982,451.39	8,978.61	1.4	36,601.39	3.69
Cooperatieve Centrale C P - 21687BFA4 06/10/2026							
900,000.000	99.9080	899,172.00	882,750.00	16,422.00	1.3	34,218.75	3.81
Credit Agricole Crp In C P - 22533UG72 07/07/2026							
2,000,000.000	99.6240	1,992,480.00	1,970,758.33	21,721.67	2.9	73,608.34	3.69
Deere John Cap Corp Disc C P - 24422MFA4 06/10/2026							
500,000.000	99.9080	499,540.00	497,745.00	1,795.00	0.7	18,706.25	3.74
Disney Walt Co New Disc C P - 2546R3F41 06/04/2026							
1,000,000.000	99.9700	999,700.00	990,725.00	8,975.00	1.5	37,615.28	3.76
Disney Walt Co New Disc Coml P C P - 2546R3KP8 10/23/2026							
725,000.000	98.4480	713,748.00	710,082.72	3,665.28	1.0	27,638.62	3.87
Fidelity Govt Portfolio Inst - 31607A703 #2642							
21,671,466.140	1.0000	21,671,466.14	21,671,466.14	0.00	31.6	770,766.71	3.56
Lloyds Bk Corporate Mkts Plc C P - 53948BLH0 11/17/2026							
1,300,000.000	98.1640	1,276,132.00	1,264,711.50	11,420.50	1.9	48,240.83	3.78



OAKDALE IRRIGATION DIST

ACCOUNT NUMBER: [REDACTED]

Page 6 of 14

May 1, 2026 to May 31, 2026

ASSET DETAIL (continued)**Security Description**

Security Description	Shares/Face Amt	Price	Market Value	Tax Cost	Unrealized Gain/Loss	Percent of Total Portfolio	Estimated Annual Income	Estimated Current Yield
Lloyds Bk Corporate Mkts Plc D C P - 53948BNS4 01/26/2027	700,000.000	97.3510	681,457.00	680,288.00	1,169.00	1.0	27,253.33	4.00
Mufg Bk Ltd N Y Brh Disc Coml C P - 62479MG72 07/07/2026	1,350,000.000	99.6240	1,344,924.00	1,313,340.00	31,584.00	2.0	51,465.00	3.83
Natixis N Y Brh C P - 63873KG84 07/08/2026	1,075,000.000	99.6140	1,070,850.50	1,050,690.67	20,159.83	1.6	41,853.33	3.91
Natixis N Y Brh Disc Coml Pape C P - 63873KFG7 06/16/2026	600,000.000	99.8460	599,076.00	597,500.00	1,576.00	0.9	22,812.50	3.81
Procter Gamble Co Disc Coml C P - 74271UF47 06/04/2026	1,100,000.000	99.9700	1,099,670.00	1,089,458.94	10,211.06	1.6	40,930.71	3.72
Royal Bk Canada Ny Bra C P - 78015DGD6 07/13/2026	500,000.000	99.5610	497,805.00	490,698.61	7,106.39	0.7	18,756.95	3.77
Royal Bk Canada Ny Bra C P - 78015DJA9 09/10/2026	1,500,000.000	98.9200	1,483,800.00	1,458,417.08	25,382.92	2.2	56,422.92	3.80
Sumitomo Mitsui C P - 86563HHC7 08/12/2026	1,300,000.000	99.2380	1,290,094.00	1,286,410.67	3,683.33	1.9	50,613.32	3.92
Sumitomo Mitsui Tr Bk C P - 86563HF54 06/05/2026	550,000.000	99.9600	549,780.00	545,737.04	4,042.96	0.8	21,915.22	3.99
U S Treasury Bill - 912797UX3 05/13/2027	5,000,000.000	96.5090	4,825,450.00	4,816,546.35	8,903.65	7.0	184,464.41	3.82



OAKDALE IRRIGATION DIST

ACCOUNT NUMBER: [REDACTED]

Page 7 of 14

May 1, 2026 to May 31, 2026

ASSET DETAIL (continued)**Security Description**

	Shares/Face Amt	Price	Market Value	Tax Cost	Unrealized Gain/Loss	Percent of Total Portfolio	Estimated Annual Income	Estimated Current Yield
U S Treasury Bill - 912797RG4 08/06/2026	5,000,000.000	99.3370	4,966,850.00	4,816,144.86	150,705.14	7.2	179,305.00	3.61
Total Cash/Money Market			\$48,450,354.64	\$48,105,818.13	\$344,536.51	70.7	\$1,781,209.71	
Total Cash & Equivalents			\$48,450,354.64	\$48,105,818.13	\$344,536.51	70.7	\$1,781,209.71	
Taxable Bonds								
US Government Issues								
Federal Home Loan Bks - 3130B6R24 3.875 06/04/2027	3,885,000.000	99.9650	3,883,640.25	3,879,832.95	3,807.30	5.7	150,543.75	3.88
Federal Home Loan Bks - 3130B82L5 3.500 10/04/2027	2,580,000.000	99.4310	2,565,319.80	2,574,762.60	-9,442.80	3.7	90,300.00	3.52
Total US Government Issues			\$6,448,960.05	\$6,454,595.55	-\$5,635.50	9.4	\$240,843.75	
Corporate Issues								
Jp Morgan Chase Bank Na - 48125LRU8 Medium Term Note 5.110 12/08/2026	1,300,000.000	100.4040	1,305,252.00	1,313,299.00	-8,047.00	1.9	66,430.00	5.09
Toyota Mtr Cr Corp - 89236TNG6 Medium Term Note 4.500 05/14/2027	695,000.000	100.4520	698,141.40	694,687.25	3,454.15	1.0	31,275.00	4.48



OAKDALE IRRIGATION DIST

ACCOUNT NUMBER: [REDACTED]

Page 8 of 14

May 1, 2026 to May 31, 2026

ASSET DETAIL (continued)**Security Description**

	Shares/Face Amt	Price	Market Value	Tax Cost	Unrealized Gain/Loss	Percent of Total Portfolio	Estimated Annual Income	Estimated Current Yield
Paccar Financial Corp - 69371RT89 Medium Term Note 4.250 06/23/2027	2,100,000.000	100.2750	2,105,775.00	2,099,160.00	6,615.00	3.1	89,250.00	4.24
Merck Co Inc - 58933YBP9 3.850 09/15/2027	1,000,000.000	99.7550	997,550.00	999,050.00	-1,500.00	1.5	38,500.00	3.86
Eli Lilly Co Sr Gbl Nt - 532457CU0 4.550 02/12/2028	1,000,000.000	100.6660	1,006,660.00	1,012,240.00	-5,580.00	1.5	45,500.00	4.52
John Deere Capital Corporation - 24422EYD5 Medium Term Note 4.250 06/05/2028	755,000.000	100.1540	756,162.70	754,328.05	1,834.65	1.1	32,087.50	4.24
Bank New York Mellon Corp - 06406RCH8 Medium Term Note 4.441 06/09/2028	610,000.000	100.2090	611,274.90	610,000.00	1,274.90	0.9	27,090.10	4.43
Target Corp - 87612EBU9 4.350 06/15/2028	1,375,000.000	100.2530	1,378,478.75	1,375,916.25	2,562.50	2.0	59,812.50	4.34
Morgan Stanley Private Bk Natl - 61776NVE0 4.466 07/06/2028	1,200,000.000	100.0570	1,200,684.00	1,200,558.70	125.30	1.8	53,592.00	4.46
Chevron USA Inc Sr Gbl Nt - 166756BH8 4.050 08/13/2028	1,045,000.000	99.6640	1,041,488.80	1,044,916.40	-3,427.60	1.5	42,322.50	4.06
Home Depot Inc - 437076DH2 3.750 09/15/2028	250,000.000	99.1670	247,917.50	249,837.50	-1,920.00	0.4	9,375.00	3.78
Alphabet Inc - 02079KAV9 3.875 11/15/2028	80,000.000	99.4260	79,540.80	79,931.20	-390.40	0.1	3,100.00	3.90



OAKDALE IRRIGATION DIST

ACCOUNT NUMBER: [REDACTED]

Page 9 of 14

May 1, 2026 to May 31, 2026

ASSET DETAIL (continued)**Security Description**

	Shares/Face Amt	Price	Market Value	Tax Cost	Unrealized Gain/Loss	Percent of Total Portfolio	Estimated Annual Income	Estimated Current Yield
Amazon Com Inc - 023135CS3 3.900 11/20/2028	1,000,000.000	99.2800	992,800.00	1,000,183.20	-7,383.20	1.4	39,000.00	3.93
Pepsico Inc Sr Nt - 713448GL6 4.100 01/15/2029	1,200,000.000	99.7850	1,197,420.00	1,198,548.00	-1,128.00	1.7	49,200.00	4.11
Total Corporate Issues			\$13,619,145.85	\$13,632,655.55	-\$13,509.70	19.9	\$586,534.60	
Total Taxable Bonds			\$20,068,105.90	\$20,087,251.10	-\$19,145.20	29.3	\$827,378.35	
Total Assets			\$68,518,460.54	\$68,193,069.23	\$325,391.31	100.0	\$2,608,588.06	
Estimated Current Yield								3.80

ASSET DETAIL MESSAGES

Time of trade execution and trading party (if not disclosed) will be provided upon request.

Publicly traded assets are valued in accordance with market quotations or valuation methodologies from financial industry services believed by us to be reliable. Assets that are not publicly traded may be reflected at values from other external sources. Assets for which a current value is not available may be reflected at a previous value or as not valued, at par value, or at a nominal value. Values shown do not necessarily reflect prices at which assets could be bought or sold. Values are updated based on internal policy and may be updated less frequently than statement generation.

Estimated Current Yield and Estimated Annual Income are estimates provided for informational purposes only and should not be relied on for making investment, trading, or tax decisions. The estimates may not represent the actual value earned by your investments and they provide no guarantee of what your investments may earn in the future.



OAKDALE IRRIGATION DIST

ACCOUNT NUMBER: [REDACTED]

Page 10 of 14
May 1, 2026 to May 31, 2026

TRANSACTION DETAIL

Date Posted	Activity	Description	Cash	Tax Cost
Beginning Balance 05/01/2026			\$0.00	\$67,883,182.86
05/01/26	Asset Income	Interest Earned On Fidelity Govt Port Inst Interest From 4/1/26 To 4/30/26	62,557.87	
05/04/26	Sale	Matured 1,300,000 Par Value Of Johnson Johnson Disc C P 5/04/26 Trade Date 5/4/26 1,300,000 Par Value At 100 %	1,282,060.00	-1,282,060.00
05/04/26	Asset Income	Interest Earned On Johnson Johnson Disc C P 5/04/26 1,300,000 Par Value At 100 %	17,940.00	
05/06/26	Purchase	Purchased 1,300,000 Par Value Of Sumitomo Mitsui C P 8/12/26 Trade Date 5/4/26 Purchased Through J.P. Morgan Securities LLC Purchased On The Off-Exchange Transactions - Li Swift External Ref#: Nh2l0xaezaaacad 1,300,000 Par Value At 98.95466692 %	-1,286,410.67	1,286,410.67
05/07/26	Sale	Matured 1,300,000 Par Value Of Emerson Elec Co C P 5/07/26 Trade Date 5/7/26 1,300,000 Par Value At 100 %	1,294,297.33	-1,294,297.33
05/07/26	Asset Income	Interest Earned On Emerson Elec Co C P 5/07/26 1,300,000 Par Value At 100 %	5,702.67	
05/07/26	Purchase	Purchased 700,000 Par Value Of Lloyds Bk Corporate C P 1/26/27 Trade Date 5/7/26 Purchased Through Wells Fargo Securities, LLC Purchased On The Off-Exchange Transactions - Li Swift External Ref#: Nh4ldhaezaaacad 700,000 Par Value At 97.184 %	-680,288.00	680,288.00



OAKDALE IRRIGATION DIST

ACCOUNT NUMBER: [REDACTED]

Page 11 of 14
May 1, 2026 to May 31, 2026

TRANSACTION DETAIL (continued)

Date Posted	Activity	Description	Cash	Tax Cost
05/07/26	Purchase	Purchased 600,000 Par Value Of Natixis N Y Brh Disc C P 6/16/26 Trade Date 5/7/26 Purchased Through Barclays Capital Inc. Fixed In Purchased On The Off-Exchange Transactions - Li Swift External Ref#: Nh4leayezaaacad 600,000 Par Value At 99.58333333 %	-597,500.00	597,500.00
05/14/26	Sale	Matured 5,000,000 Par Value Of U S Treasury Bill 5/14/26 Trade Date 5/14/26 5,000,000 Par Value At 100 %	4,813,079.17	-4,813,079.17
05/14/26	Asset Income	Interest Earned On U S Treasury Bill 5/14/26 5,000,000 Par Value At 100 %	186,920.83	
05/14/26	Asset Income	Interest Earned On Toyota Mtr Cr Mtn 4.500% 5/14/27 0.0225 USD/\$1 Pv On 695,000 Par Value Due 5/14/26	15,637.50	
05/15/26	Purchase	Purchased 5,000,000 Par Value Of U S Treasury Bill 5/13/27 Trade Date 5/14/26 Purchased Through Bmo Capital Markets Corp/Bonds Purchased On The Off-Exchange Transactions - Li Swift External Ref#: Nidcqqiefaaacad 5,000,000 Par Value At 96.330927 %	-4,816,546.35	4,816,546.35
05/15/26	Asset Income	Interest Earned On Alphabet Inc 3.875% 11/15/28 0.020344 USD/\$1 Pv On 80,000 Par Value Due 5/15/26	1,627.50	
05/20/26	Asset Income	Interest Earned On Amazon Com Inc 3.900% 11/20/28 0.0195 USD/\$1 Pv On 1,000,000 Par Value Due 5/20/26	19,500.00	
	Purchase	Combined Purchases For The Period 5/ 1/26 - 5/31/26 Of Fidelity Govt Port Inst	-7,697,695.37	7,697,695.37
	Sale	Combined Sales For The Period 5/ 1/26 - 5/31/26 Of Fidelity Govt Port Inst	7,379,117.52	-7,379,117.52
Ending Balance 05/31/2026			\$0.00	\$68,193,069.23



OAKDALE IRRIGATION DIST

ACCOUNT NUMBER: [REDACTED]

Page 12 of 14
May 1, 2026 to May 31, 2026

SALE/MATURITY SUMMARY

Settlement Date	Description	Tax Cost	Proceeds	Estimated Gain/Loss
Cash and Equivalents				
Emerson Elec Co C P				
05/07/2026				
29101BE73				
05/07/26	Matured 1,300,000 Par Value Trade Date 5/7/26 1,300,000 Par Value At 100 %	-1,294,297.33	1,294,297.33	
Johnson Johnson Disc Coml Pa C P				
05/04/2026				
47816GE47				
05/04/26	Matured 1,300,000 Par Value Trade Date 5/4/26 1,300,000 Par Value At 100 %	-1,282,060.00	1,282,060.00	
U S Treasury Bill				
05/14/2026				
51426				
05/14/26	Matured 5,000,000 Par Value Trade Date 5/14/26 5,000,000 Par Value At 100 %	-4,813,079.17	4,813,079.17	
Total Cash and Equivalents		-\$7,389,436.50	\$7,389,436.50	\$0.00
Total Sales & Maturities		-\$7,389,436.50	\$7,389,436.50	\$0.00

SALE/MATURITY SUMMARY MESSAGES


Estimates should not be used for tax purposes



OAKDALE IRRIGATION DIST
ACCOUNT NUMBER: [REDACTED]

Page 13 of 14
May 1, 2026 to May 31, 2026

BOND SUMMARY



	Par Value	Market Value	Percentage of Category
MATURITY			
2026	1,300,000.00	1,305,252.00	6.51
2027	10,260,000.00	10,250,426.45	51.08
2028	7,315,000.00	7,315,007.45	36.45
2029	1,200,000.00	1,197,420.00	5.96
Total of Category	\$20,075,000.00	\$20,068,105.90	100.00

MOODY'S RATING			
Aa1	6,465,000.00	6,448,960.05	32.14
Aa2	2,425,000.00	2,426,281.60	12.09
Aa3	3,810,000.00	3,816,168.90	19.02
A1	5,750,000.00	5,750,299.10	28.65
A2	1,625,000.00	1,626,396.25	8.10
Total of Category	\$20,075,000.00	\$20,068,105.90	100.00



OAKDALE IRRIGATION DIST

ACCOUNT NUMBER: [REDACTED]

Page 14 of 14
May 1, 2026 to May 31, 2026

BOND SUMMARY (continued)

	Par Value	Market Value	Percentage of Category
S&P RATING			
AA+	6,545,000.00	6,528,500.85	32.53
AA	1,000,000.00	992,800.00	4.95
AA-	3,345,000.00	3,353,400.80	16.71
A+	6,195,000.00	6,199,570.40	30.89
A	2,990,000.00	2,993,833.85	14.92
Total of Category	\$20,075,000.00	\$20,068,105.90	100.00

BOND SUMMARY MESSAGES

Data contained within this section excluded Mutual Funds, Exchange Traded Funds, and Closed-Ended Funds.

OAKDALE IRRIGATION DISTRICT



MONTHLY FINANCIAL STATEMENTS

May 31, 2026

FOR INTERNAL REPORTING PURPOSES ONLY

Oakdale Irrigation District
Statement of Net Position
May 31, 2026 and 2025



	2026	2025	Change
ASSETS			
Current assets:			
Cash and cash equivalents	\$ 8,996,483	\$ 13,521,597	\$ (4,525,114)
Restricted Cash and cash equivalents	1,497,850	1,469,512	28,338
Investments	68,518,461	65,874,011	2,644,449
Receivables			
Agricultural water fees	523,946	358,923	165,023
Due from other governmental agencies	7,952,712	2,435	7,950,277
Miscellaneous	87,614	10,893	76,721
Domestic water fees	10,728	10,987	(259)
Inventory of materials and supplies	888,098	878,986	9,112
Prepaid expenses	56,936	55,014	1,923
Due from Improvement Districts	12,299	12,353	(54)
Total current assets	89,790,432	83,332,961	6,457,470
Noncurrent assets:			
Annexation fees receivable	7,320,579	8,409,653	(1,089,074)
Investments in Tri-Dam Project/Authority	64,044,142	67,093,999	(3,049,857)
Capital assets:			
Not being depreciated	29,637,651	29,251,242	386,409
Being depreciated, net	136,092,079	118,119,035	17,973,044
Total noncurrent assets	237,094,450	222,873,928	14,220,522
Total assets	326,884,882	306,206,889	20,677,993
Deferred outflows of resources			
Pensions	1,950,999	2,328,442	(377,443)
Bonds	2,129,209	2,292,994	(163,785)
Total deferred outflows of resources	4,080,208	4,621,436	(541,228)
TOTAL ASSETS AND DEFERRED OUTFLOWS OF RESOURCES	330,965,090	310,828,326	20,136,764
LIABILITIES			
Current liabilities:			
Payable from nonrestricted assets			
Accounts payable	821,785	1,173,242	(351,457)
Accrued salaries, wages and related benefits	928,255	1,078,961	(150,706)
Unearned revenue	-	31,299	(31,299)
Deposits payable	3,611,297	2,673,321	937,976
Due to Improvement Districts	20,477	21,862	(1,385)
Claims payable	25,000	50,000	(25,000)
Long-term liabilities, due within one-year	1,040,000	1,017,974	22,026
Total current liabilities	6,446,814	6,046,659	400,155
Noncurrent liabilities:			
Long-term liabilities, due in more than one-year, net	19,835,738	20,589,409	(753,670)
Pensions	6,142,641	7,117,108	(974,467)
Total noncurrent liabilities	25,978,379	27,706,517	(1,728,137)
TOTAL LIABILITIES	32,425,194	33,753,176	(1,327,982)
DEFERRED INFLOWS OF RESOURCES			
Pensions	831,167	-	831,167
Total deferred inflows of resources	831,167	-	831,167
Net Position			
Net investment in capital assets	140,971,523	121,063,630	19,907,893
Restricted	1,497,850	1,469,512	28,338
Unrestricted	155,239,356	154,542,008	697,348
TOTAL NET POSITION	\$ 297,708,729	\$ 277,075,150	\$ 20,633,579

Oakdale Irrigation District
Statement of Revenues, Expenses, and Changes in net position
For the One Month and Five Months Ended May 31, 2026



	Current Month	YTD Actual	2026 Budget	Budget Remaining	% of 2026 Budget Remaining
Operating revenues:					
Agricultural water deliver assessments	\$ -	\$ 2,563,154	\$ 2,565,300	\$ 2,146	0%
In-District water sales	46,050	46,069	1,733,600	1,687,531	97%
Domestic water delivery fee	21,782	76,901	225,000	148,099	66%
Improvement District Fees	-	-	75,000	75,000	100%
Other water related revenues	1,903	20,006	49,000	28,994	59%
Total operating revenues	69,734	2,706,131	4,647,900	1,941,769	42%
Operating expenses:					
Construction and Maintenance	531,842	3,174,523	8,806,424	5,631,901	64%
Water operations	454,752	1,731,308	5,089,411	3,358,103	66%
General and administrative	262,215	2,645,016	4,088,025	1,443,009	35%
Depreciation / amortization	335,000	1,005,000	4,290,300	3,285,300	77%
Total operating expenses	1,583,809	8,555,847	22,274,160	13,718,313	62%
Net Income (loss) from Operations	(1,514,074)	(5,849,716)	(17,626,260)	(11,776,544)	67%
Nonoperating revenues (expenses):					
County property tax appropriations	1,264,065	1,593,161	3,700,000	2,106,839	57%
Net Investment income (loss)	69,506	484,664	2,260,000	1,775,336	79%
Interest and Investment Expenses	(2,331)	(89,364)	(863,600)	(774,236)	90%
Gain (loss) sale of assets	-	30,375	-	(30,375)	0%
Tri-Dam Project distributions (55%)	-	5,288,525	4,468,750	(819,775)	0%
Tri-Dam Power Authority distributions (55%)	-	1,714,900	1,112,400	(602,500)	0%
Other non-operating revenue	-	-	-	-	0%
Total Nonoperating Revenues (Expenses)	1,331,240	9,022,261	10,677,550	1,655,289	16%
Income (loss) before Capital Contributions	(182,834)	3,172,544	(6,948,710)	(10,121,254)	
Local Out of District Water Sales	-	-	2,725,000	2,725,000	100%
Tri-Dam Project (45%)	-	4,326,975	3,656,250	(670,725)	0%
Tri-Dam Power Authority (45%)	-	1,403,100	1,359,600	(43,500)	0%
Contribution Revenues	-	29,679	-	(29,679)	0%
Grant Revenue	1,454,094	1,454,094	5,000,000	3,545,906	71%
Total Capital Contributions	1,454,094	7,213,848	12,740,850	5,527,002	43%
Change in net position	\$ 1,271,259	\$ 10,386,392	\$ 5,792,140	\$ (4,594,252)	
Capital expenditures & debt obligations	\$ 1,186,277	\$ 8,110,697	\$ 26,028,100	\$ 17,917,403	69%

Oakdale Irrigation District
Revenue Summary
For the One Month and Five Months Ended May 31, 2026



	Current Month	YTD Actual	2026 Budget	Budget Remaining	% of 2026 Budget Remaining
Operating revenues					
Agricultural water service fees					
Tier 1	\$ -	\$ 2,272,441	\$ 2,272,700	\$ 259	0%
Tier 2	-	290,713	292,600	1,887	1%
Water sales					
Tier 1	-	19	770,700	770,681	100%
Tier 2	-	-	962,900	962,900	100%
Out-of-district	46,050	46,050	-	(46,050)	0%
Domestic water sales	21,782	76,901	225,000	148,099	66%
Improvement District Admin Fees	-	-	75,000	75,000	100%
Miscellaneous revenues	1,903	20,006	49,000	28,994	59%
Total Operating Revenue	69,734	2,706,131	4,647,900	1,941,769	42%
Non-operating revenues					
County property tax appropriations	1,264,065	1,593,161	3,700,000	2,106,839	57%
Investment earnings					
Investment earnings (Loss)	69,506	484,664	2,000,000	1,515,336	76%
Other Interest income	-	-	260,000	260,000	100%
Gain (loss) sale of assets	-	30,375	-	(30,375)	0%
Tri-Dam Project 55%	-	5,288,525	4,468,750	(819,775)	0%
Tri-Dam Authority 55%	-	1,714,900	1,112,400	(602,500)	0%
Total Nonoperating Revenues	1,333,571	9,111,625	11,541,150	2,429,525	21%
Funds Allocated to Capital					
Local out-of-district	-	-	2,725,000	2,725,000	100%
Tri-Dam Project-45%	-	4,326,975	3,656,250	(670,725)	0%
Tri-Dam Power Authority-45%	-	1,403,100	1,359,600	(43,500)	0%
Contribution Revenues	-	29,679	-	(29,679)	0%
Grant for Paulsell Project	1,454,094	1,454,094	5,000,000	3,545,906	71%
Capital Contributions	1,454,094	7,213,848	12,740,850	5,527,002	43%
Total Revenues	\$ 2,857,399	\$ 19,031,603	\$ 28,929,900	\$ 9,898,297	34%

Oakdale Irrigation District
Operating Expenses Summary
For the One Month and Five Months Ended May 31, 2026



	Current Month	YTD Actual	2026 Budget	Budget Remaining	% of 2026 Budget Remaining
Operating expenses					
Maintenance					
Joint Main Supply Diversion Maintenance	\$ -	\$ 520	\$ 51,300	\$ 50,780	99%
North Main Canal Maintenance	135,776	546,261	810,656	264,395	33%
South Main Canal Maintenance	59,756	369,743	850,856	481,113	57%
Irrigation Water Lateral Maint-North Side	92,031	846,870	2,653,760	1,806,890	68%
Irrigation Water Lateral Maint - South Side	73,032	607,845	1,951,660	1,343,815	69%
Pumping Plant Operations and Maintenance	45,985	160,266	446,700	286,434	64%
Drainage System Maintenance	21,769	160,029	718,400	558,371	78%
Building and Grounds Maintenance	43,403	250,970	451,967	200,997	44%
Vehicle and Equipment Maintenance	60,090	232,020	871,125	639,105	73%
Total Maintenance	531,842	3,174,523	8,806,424	5,631,901	64%
Water Operations					
Domestic Water System Maintenance	38,676	236,462	504,804	268,342	53%
Irrigation Water Operations - North Division	206,986	732,150	2,302,662	1,570,512	68%
Irrigation Water Operations - South Division	202,944	729,307	2,189,846	1,460,539	67%
Drainage Water Operations	1,024	26,053	67,000	40,947	61%
Water Measurement Management	5,122	7,337	25,100	17,763	71%
Total Water Operations	454,752	1,731,308	5,089,411	3,358,104	66%
General and Administrative					
General and Administrative	262,215	2,645,016	4,088,025	1,443,009	35%
Depreciation and Amortization	335,000	1,005,000	4,290,300	3,285,300	77%
Total General, Administrative and Depreciation	597,215	3,650,016	8,378,325	4,728,309	56%
Total Operating expenses	1,583,809	8,555,847	22,274,160	13,718,314	62%
Non-operating expenses					
Interest and investment expenses	2,331	89,364	863,600	774,236	90%
Total non-operating expenses	2,331	89,364	863,600	774,236	90%
Total Expenses	\$ 1,586,140	\$ 8,645,211	\$ 23,137,760	\$ 14,492,550	63%

Oakdale Irrigation District
Capital and Debt Expenditures
For the Five Months Ended May 31, 2026



GL ACCOUNT NO.	GL DESCRIPTION	PROJECT DESCRIPTION	2026	2026 ANNUAL BUDGET	REMAINING BALANCE
00-000-15200-00	Capital Work	Capital construction projects			
		Canal and Lateral Rehabilitation	\$ 204,179	\$ 300,000	\$ 95,821
		Domestic Water Well Projects	67,674	570,000	502,326
		Irrigation Service Turnout Replacement	81,860	300,000	218,140
		Main Canals and Tunnels Improvement Projects	181,839	150,000	(31,839)
		Ag Groundwater Wells Replacement	71,841	600,000	528,159
		Reservoirs	114,548	2,000,000	1,885,452
		Pipeline Replacement	363,733	2,106,000	1,742,267
		Reclamation Projects	-	50,000	50,000
		Subtotal for Water Resources Plan Improvements	1,085,674	6,076,000	4,990,326
		Paulsell Lateral Expansion Project	4,490,630	5,000,000	509,370
		Paulsell Lateral Expansion Project - Phase 2	-	2,000,000	2,000,000
		Ag Pump Replacements	-	50,000	50,000
		Greger SCADA Tower (Amd 11/4/25)	251,157	200,000	(51,157)
		SCADA Tower Expansion Project - North Side Reservoir	(7,225)	100,000	107,225
		Canyon Tunnel - Joint with SSJID	2,121,575	10,100,000	7,978,425
		North Main Canal Leak Mitigation (D/S of LJC Dam)	-	400,000	400,000
		North Main Canal D-1 Replc & Concrete Liner Overlay	-	400,000	400,000
		Subtotal for Contruction Projects	7,941,811	24,326,000	16,384,189
00-000-15183-00	Miscellaneous Construction Equipment				
		Breaker Assembly for Skidsteer	11,266	10,000	(1,266)
		Breaker Assembly for Mini Excavator	-	10,000	10,000
			11,266	20,000	8,734
00-000-15184-00	Autos/Pickups/Trucks/ Trailers				
		(2) - 1/2 Ton Pickup 2WD (DSO)	-	110,000	110,000
		Utility Truck (C&M)	-	85,000	85,000
		Crew Truck (C&M)	-	110,000	110,000
			-	305,000	305,000
00-000-15186-00	Shop/Whse/Yard				
		Greger Yard Forklift		100,000	100,000
		Greger Auto Shop Crane	125,920	125,000	(920)
		Stationary Compressor (Greger)	21,136	30,000	8,864
		Portable Generators (4)	-	13,600	13,600
		Suction Trash Pumps (4)	-	7,000	7,000
			147,056	275,600	128,544
00-000-15187-00	Office and Engineerir	Computer Replacement Program			
			-	20,000	20,000
			-	20,000	20,000
00-000-15189-00	Office Building, Yard				
		Main Office HVAC Replacement/Repair	-	30,000	30,000
		Ice Machine for Greger Facility	-	6,500	6,500
		Pressure Washer for Greger Facility	4,661	5,000	339
		WUD 12,000 BTU Ductless System	5,903	-	(5,903)
			10,564	41,500	30,936
		TOTAL CAPITAL PROJECTS AND PURCHASES EXPENDITURES	8,110,697	24,988,100	16,877,403
00-000-22320-00	Current portion - COP Debt				
			-	1,040,000	1,040,000
		TOTAL CAPITAL AND DEBT EXPENDITURES	\$ 8,110,697	\$ 26,028,100	\$ 17,917,403

BOARD AGENDA REPORT

Date: July 7, 2026
Item Number: 5
APN: 010-012-043

SUBJECT: ADOPT RESOLUTION TO ABANDON A PORTION OF THE GRAY PIPELINE AND QUITCLAIM ITS DEEDED EASEMENT (APN: 010-012-043)

RECOMMENDED ACTION: Adopt resolution to abandon and quitclaim a portion of the Gray Pipeline.

BACKGROUND AND/OR HISTORY:

The owners of APN: 010-012-043 have relocated the Gray Pipeline at their expense in order to better accommodate the construction of a new home on the property. The obsolete section of the Gray Pipeline has been disconnected, the slide gates, ladder and hand railings from the existing control box have been salvaged, and OID has no ability nor need to use that section of the Gray Pipeline. Staff now recommends the Board take action to formally abandon the obsolete section of the Gray Pipeline and quitclaim its easement.

FISCAL IMPACT: Staff time for document preparation.

ATTACHMENTS:

- Abandonment Resolution
 - Quitclaim Resolution
 - Quitclaim Deed
-

Board Motion:

Motion by: _____ **Second by:** _____

VOTE

B. DeBoer (Yes/No) J. DeBoer (Yes/No) Doornenbal (Yes/No) Orvis (Yes/No) Tobias (Yes/No)

Action(s) to be taken:

**OAKDALE IRRIGATION DISTRICT
RESOLUTION NO. 2026-NIL**

ABANDONMENT OF A PORTION OF A DISTRICT FACILITY

GRAY PIPELINE

APN: 010-012-043

WHEREAS, a portion of the Oakdale Irrigation District (District) facility known as the Gray Pipeline is located within the northeast quarter of Section 9, Township 2 South, Range 11 East, Mount Diablo Base and Meridian within Stanislaus County; and

WHEREAS, the landowner wishes to construct a home on the parcel, the location of which would conflict with the Gray Pipeline where it traverses across the property within its existing easement Inst. 1984-027742; and

WHEREAS, the landowner is in the process of completing a relocation project under a Developer's Agreement with the District such that a portion of the Gray Pipeline will be relocated to lie along the southern and western property lines of the parcel; and

WHEREAS, the portion of the Gray Pipeline located across the center of the parcel noted above and within Inst. 1984-027742 is now considered obsolete, and has been determined to be operationally unnecessary; and

WHEREAS, Oakdale Irrigation District has no plan to expand or modify the use of that portion of the Gray Pipeline, has no need to maintain said facilities as described, and the abandonment of that portion of the Gray Pipeline will not be detrimental to the irrigation operations of the Oakdale Irrigation District.

NOW, THEREFORE BE IT RESOLVED, that we find the abandonment of the Gray Pipeline where it lies within Inst. 1984-027742, between a point on the northerly line of the PUE recorded as Inst. 2018-0072987 and the western property line of APN: 010-012-043, within the parcel noted above is appropriate and be adopted.

Upon motion of Director _____, seconded by Director _____, and duly submitted to the Board for its consideration, the above-titled resolution was adopted this seventh day of July, 2026.

Yes:
No:
Absent:

OAKDALE IRRIGATION DISTRICT

Thomas D. Orvis, Board President

Scot A. Moody, Secretary

**OAKDALE IRRIGATION DISTRICT
RESOLUTION NO. 2026-NIL**

**AUTHORIZING QUITCLAIM DEED TO
ANDREW AND AMY ALEXANDER**

APN: 010-012-043

WHEREAS, a portion of the Gray Pipeline lies within a deeded easement in the parcel noted above; and

WHEREAS, that portion of the Gray Pipeline has been relocated and replaced within a new deeded easement granted by the landowners; and

WHEREAS, the obsolete portion of the Gray Pipeline has been determined to be operationally unnecessary; and

WHEREAS, quitclaim of any interest in the deeded easement along the obsolete portion of the Gray Pipeline on the parcel noted above will not impact the operations of the Oakdale Irrigation District.

NOW THEREFORE BE IT RESOLVED, that any interest in the right of way reserved to the Oakdale Irrigation District by deeded easement under Inst. # 84-027742, recorded in Volume 23 of Deeds at Page 584, Stanislaus County records, between the northerly line of PUE Inst. #2018-0072987 and the western property line of APN: 010-012-043, be quitclaimed to the titled owner of said parcels, and that said Quitclaim in its entirety is incorporated by reference to this Resolution.

Upon Motion of Director _____, seconded by Director _____, and duly submitted to the Board for its consideration, the above-titled Resolution was unanimously adopted this seventh day of July, 2026.

OAKDALE IRRIGATION DISTRICT

Thomas D. Orvis, President

Scot A. Moody, Secretary

EXHIBIT "A"
40.00' OAKDALE IRRIGATION EASEMENT QUITCLAIM
GRAY LATERAL
LEGAL DESCRIPTION

All that portion of real property described as 40.00-foot wide Gray Lateral of that certain Grant of Right-of-Way Easement to Oakdale Irrigation District (O.I.D.) recorded December 12, 1984 as Instrument Number 27742, Stanislaus County Records, lying within Parcel 2 of that certain Parcel Map recorded October 19, 2018 in Book 57 of Parcel Maps, at Page 82, Stanislaus County Records, situate in a portion of Sections 4 and 9, Township 2 South, Range 11 East, Mount Diablo Meridian, County of Stanislaus, State of California and more particularly described as follows:

A strip of land 40.00 feet wide, the centerline of which is described as follows:

COMMENCING at the Northwest corner of said Parcel 2; thence

Along the West line of said Parcel 2, South 00°03'48" East 223.39 feet to the intersection of the centerline of said 40.00-foot wide Gray Lateral and said West line, said point being the **TRUE POINT OF BEGINNING** of this description; thence

Along the centerline of said 40.00-foot wide Gray Lateral, South 89°34'07" East 113.32 feet; thence

South 23°31'50" East 166.57 feet to a point on the Northerly line of the Irrevocable Offer of Dedication – Road and Public Utility Easement recorded October 19, 2018 as Document Number 2018-0072987, Stanislaus County Records, said point being also the **POINT OF TERMINUS** of this description.

The side lines of said 40-foot easement to be shortened or lengthened to terminate at the northerly line described in said Irrevocable Offer of Dedication – Road and Public Utility Easement.


This legal description as described is delineated on the accompanying "Plat to Accompany Legal Description" and made a part hereof for reference purposes.



Nicole Cannella, P.L.S. 9099



4.14.20



PROFESSIONAL LAND SURVEYOR
 NICOLE CANNELLA
 No. 9099
 STATE OF CALIFORNIA
 4.14.26

**PORTION OF EX. 40' OAKDALE
 IRRIGATION DISTRICT EASEMENT
 PER I.N. 1984-027742 TO BE
 QUITCLAIMED
 11,196 SF**

EX. 10' PRIVATE IRRIGATION
 EASEMENT PER I.N. 2018-0071311 TO
 BE QUITCLAIMED SEPARATE DOCUMENT

EX. 10' IOD PER
 D.N. 2018-072987

POINT OF TERMINUS
 NORTHERLY LINE OF EX. 10' I.O.D.
 PER D.N. 2018-072987

North Star
 Engineering Group, Inc.
 • CIVIL ENGINEERING • SURVEYING • PLANNING •
 620 12th Street Modesto, CA 95354
 (209) 524-3525 Phone (209) 524-3526 Fax

EXHIBIT "B"
PLAT TO ACCOMPANY LEGAL DESCRIPTION
 LYING IN A PORTION OF PARCEL 2 AS SHOWN ON
 BOOK 57 OF PARCEL MAPS, AT PAGE 82, S.C.R.
 AND LYING IN A PORTION OF
 SECTIONS 4 & 9, T. 2 S., R.11 E, M.D.M.
 STANISLAUS COUNTY, STATE OF CALIFORNIA

JOB NO:	J25-3869
SCALE:	1"=100'
DR BY:	NC
FILE:	25-3869 lancaster esmt abandonments.dwg
DATE:	April 14, 2026



**AGENDA ITEMS
ACTION CALENDAR**

**BOARD MEETING OF
JULY 7, 2026**

BOARD AGENDA REPORT

Date: July 7, 2026
Item Number: 6
APN: N/A

SUBJECT: REVIEW AND TAKE POSSIBLE ACTION TO ISSUE WORK RELEASE NO. 5 TO GENERAL SERVICES AGREEMENT 2023-GSA-022 WITH DAVIDS ENGINEERING, INC. FOR DESIGN OF THE ROBERT VAN LIER REGULATING RESERVOIR EXPANSION PROJECT

RECOMMENDED ACTION: Approve Work Release No. 5 to General Services Agreement 2023-GSA-022 with Davids Engineering, Inc. for Design of the Robert Van Lier Regulating Reservoir Expansion Project

BACKGROUND AND/OR HISTORY:

On May 2, 2024, OID executed Work Release No. 3 with Davids Engineering, Inc. for the initial environmental review, land surveying, and 30% level civil engineering design of the proposed Robert Van Lier (RVL) Reservoir Expansion Project (Project). With no major concerns being identified from the initial environmental analysis and the viability of the proposed reservoir expansion site being affirmed in the 30% design plans, OID has begun to move forward with the acquisition of the property required for the Project.

OID staff proposes to also proceed now in parallel with the Davids Engineering, Inc. team to complete the full Project design. A draft proposal was received from Davids Engineering, Inc., which includes the following tasks:

- Task 1: Project Management
- Task 2: Geotechnical Investigations and Recommendations
- Task 3: Complete 60% Civil Engineering Design Plans
- Task 4: Complete Environmental Permitting
- Task 5: Division of Safety of Dams (DSOD) Coordination
- Task 6: Complete 100% Civil Engineering Design Plans
- Task 7: On-Call Services (Optional)

Task 7 is not proposed to be part of Work Release No. 5 as currently drafted. On-call services, if needed, would be performed under a separate subsequent work release. It should also be noted that the potential costs associated with Task 5 above are unknown at this time. It is assumed in the draft proposal that an agricultural exemption would be granted by DSOD to expand the reservoir. However, if an exemption is not granted, further permitting and coordination with DSOD would be required, resulting in additional costs. Davids Engineering, Inc. would assist with that additional work on a time and materials basis, with this work order being amended as needed.

Additionally, OID staff recommends approval of the work release as drafted. The Davids Engineering, Inc. proposal is included as Exhibit "A" in the attached Draft Work Release No. 5 for reference.

FISCAL IMPACT: Estimated Not to Exceed Amount: \$259,640 (Included in the 2026 Budget)

ATTACHMENTS:

- Draft Work Release No. 5

Board Motion:

Motion by: _____ **Second by:** _____

VOTE:

B. DeBoer (Yes/No) J. DeBoer (Yes/No) Doornenbal (Yes/No) Orvis (Yes/No) Tobias (Yes/No)

Action(s) to be taken:



Work Release No. 5
Robert Van Lier Regulating Reservoir Expansion
Project No. 2024-033

Description

Oakdale Irrigation District (District) requires the assistance of Davids Engineering, Inc. preparation of the 100% design of the Robert Van Lier (RVL) Regulating Reservoir Expansion Project.

Scope of Work

The Scope of Work to be performed are tasks 1-6 as outlined in Exhibit "A": Task 7 will be issued under a separate work release, if needed.

Schedule

Davids Engineering, Inc. will commence performing the Work described as directed by the District. The OID contact for Davids Engineering, Inc. will be Eric Thorburn, P.E., Water Resources Manager/District Engineer. He can be reached at ethorburn@oakdaleirrigation.com or his direct office number (209) 840-5525.

Pricing

Davids Engineering, Inc. will perform the services on a time and material basis not to exceed \$259,640. The Rates will be in accordance with the approved rates in place at the time the service is provided. The estimated costs are summarized in Table 2 of Exhibit A.

This Not to Exceed Amount cannot be exceeded without prior authorization from authorized District staff.

Terms and Conditions

All Terms and Conditions will be in accordance with **General Services Agreement 2023-GSA-022** and will remain in effect for Work Release No. 5.

All work over \$1,000.00 will be at prevailing wage rates.

Oakdale Irrigation District

Davids Engineering, Inc.

Scot A. Moody
General Manager

John B. Davids, P.E.
Principal Engineer

Date

Date

Proposal for Professional Engineering Services

To: Eric C. Thorburn, P.E.
Water Operations Manager/District Engineer
Oakdale Irrigation District

From: Davids Engineering, Inc.
www.davidsengineering.com

Date: June 19th, 2026

Subject: **Oakdale Irrigation District Robert Van Lier Regulating Reservoir Expansion Project**

Davids Engineering, Inc. (DE) is pleased to provide this proposal to Oakdale Irrigation District (OID or District) for 100% design of the Robert Van Lier (RVL) Regulating Reservoir Expansion Project (Project). Completion of the professional services contained herein will be conducted by a group of consultants that together form the DE Team. Figure 1 below provides the Team organization and each consultant’s associated responsibilities.




Figure 1. DE Team Organization Chart

1 Project Overview and Objective

The RVL Regulating Reservoir was constructed in 2002 and provided improvements in both customer service and operational efficiency. The District has seen significant changes in customer needs over the past 20 plus years which has made it necessary to push the reservoir to its operational limits. The District’s Water Operations staff now seeks to proactively respond to current and future customer needs by increasing existing RVL Reservoir capacity. In October 2024, 30% design plans for the Project were provided to the District, which provided a basis for future design, permitting, and land acquisition.

2 Project Approach

In completing 100% design for the Project, the DE Team proposes a comprehensive approach building off past work performed on behalf of OID. The DE Team is comprised of a unique and well-equipped blend of trusted consultants with a strong track record of completing successful modernization and

improvement projects within the District. The DE Team has a history of working together and will continue those relationships to work collaboratively to facilitate successful completion of the Project. The DE Team will focus its efforts on the tasks outlined below.

3 Project Proposal

3.1 Scope of Services

The scope of professional engineering services to be performed by the DE Team is organized into 6 tasks and 1 optional task as described below:

Task 1. Perform Project Management: Task 1 will be performed under the leadership of DE and will include coordination amongst the DE Team and coordination between the DE Team and OID. DE will facilitate project meetings during the design phase of work at the frequency and duration described below. These meetings will be 1-hour online meetings and will include up to 4 DE Team members. The professional services to be performed under Task 1 shall include the following:

- General coordination between the DE Team and OID.
- Facilitation of Bi-weekly client meetings during 60% and 100% design phase.
- Facilitation of Bi-weekly team meetings during 60% and 100% design phase.
- Project scheduling.
- Budget and invoice tracking.

Task 2. Complete Geotechnical Investigations and Recommendations: The DE Team will collect soil samples by using a truck-mounted drill rig and excavate 8-10 borings around the property where the proposed regulating reservoir will be expanded. These borings will be approximately 20'-30' deep and will provide the DE Team the necessary information to determine the soils properties required to complete a Geotechnical Investigation Report (Soils Report). The Soils Report will provide the information necessary to complete the design of the Project, including, but not limited to, a description of the site conditions, field investigation, laboratory testing, and geotechnical design recommendations. DE will incorporate this information into the designs and Basis of Design Report (BODR).

The DE Team will also consult with the District's preferred construction management company, Provost and Pritchard Consulting Group (P&P), to perform a constructability review of the Soils Report, boring locations, and any coordination required to ensure the Soils Report is suitable for construction.

Task 3. Complete 60% Design: The DE Team will coordinate and incorporate comments and preferred design recommendations from OID and advance the current 30% design plan set to 60% design. Task 3 will also include preparation of an Engineer's Opinion of Probable Construction Cost (EOPCC) and BODR.

The DE Team will also consult with P&P to perform a constructability review of the 60% design plans.

The 60% plans include, but are not limited to:

- More refined earthwork quantities.
- Updated Project layout and dimensions.

- Advancement of and the addition of necessary details.
- Incorporation of Geotechnical recommendations.
- Incorporation of Constructability recommendations

Task 4. Complete Environmental Permitting: The DE Team recommends preparation of a Focused Initial Study/Mitigated Negative Declaration (IS/MND) for the Project as an efficient and legally defensible approach to satisfying the requirements of CEQA. In 2024, the DE Team prepared a comprehensive environmental constraints analysis for OID that evaluated the Project area and identified potential environmental sensitivities and regulatory considerations. Because that due-diligence review already established baseline environmental conditions and screened the Project for potential environmental constraints, the information developed through that effort can be used to inform and streamline the CEQA process. The focused IS/MND approach allows the DE Team to rely on the substantial evidence developed during the prior constraints analysis, combined with updated site information and the finalized Project Description, to demonstrate that many environmental resource areas would not be affected by the Project or would clearly result in less than significant impacts. Consistent with CEQA Guidelines Section 15063 and Appendix G, the IS will evaluate all required environmental issue areas; however, detailed analysis will be concentrated on those resource topics where the potential for impacts could reasonably occur. Environmental topics that are not affected by the Project will be documented with concise explanations supported by substantial evidence in the record. This strategy results in a clear, focused, and technically defensible CEQA document that maintains full compliance with CEQA while avoiding unnecessary analysis of environmental topics that are not relevant to the Project.

The DE Team will initiate a kick-off meeting with OID to confirm expectations, establish coordination procedures, and review key elements needed to initiate preparation of the environmental documentation. The DE Team will also create a clear and well-defined Project Description which is essential to establishing the analytical foundation for compliance with the CEQA

California Environmental Quality Act (CEQA):

The Administrative Draft Focused IS/MND will build off the environmental constraints analysis (2024) previously prepared for OID, updated environmental setting information, available technical data, and site reconnaissance, as necessary. The DE Team will also incorporate the finalized Project Description and supporting figures.

Based on the environmental constraints analysis (2024), the Administrative Draft Focused IS/MND is anticipated to concentrate its detailed analysis on environmental issue areas most likely to require technical evaluation or mitigation development. These resource areas may include:

- Agriculture and Forestry Resources
- Air Quality
- Biological Resources
- Cultural Resources
- Greenhouse Gas Emissions
- Hazards and Hazardous Materials
- Hydrology and Water Quality

- Tribal Cultural Resources

These resource areas represent the environmental topics most likely to require focused analysis associated with ground disturbance, construction activities, and expansion of the existing Project footprint. The DE Team will prepare detailed analyses supported by available technical information and established regulatory standards and will identify feasible mitigation measures where necessary to ensure that potential impacts are reduced to less than significant levels.

For the remaining CEQA resource topics, The DE Team will provide concise discussions supported by the Project Description, environmental setting, and applicable regulatory standards to demonstrate that the Project would not result in significant environmental effects.

The Administrative Draft Focused IS/MND will include all standard CEQA components, including the environmental setting, environmental impact analysis using the Appendix G checklist format, identification of mitigation measures (if required), and a mitigation monitoring and reporting framework consistent with CEQA requirements.

Technical Studies:

Based on The DE Team's understanding of the Project and the environmental constraints analysis previously completed for OID, the DE Team anticipates that technical studies will be required for biological resources and cultural resources. Using previous information gathered in 2024, biological resources will be updated. Cultural resources record search data were also provided in 2024. These resource areas typically require field verification and supporting documentation to provide substantial evidence for the environmental analysis prepared under CEQA. Analyses for agriculture, air quality, greenhouse gas emissions, hazards and hazardous materials, hydrology and water quality, and tribal cultural resources will be incorporated directly into the Focused IS/MND to support the environmental analysis and significance determinations. These topics can generally be evaluated using readily available regional data, modeling tools, and established regulatory thresholds with the biological and cultural resources requiring field investigation.

This approach streamlines preparation of the CEQA document while maintaining full compliance with CEQA Guidelines requirements. By focusing stand-alone technical studies on resource areas that require field verification or specialized analysis, the DE Team can efficiently provide the substantial evidence necessary to support environmental conclusions while minimizing unnecessary documentation and maintaining schedule efficiency for OID.

All technical studies will be prepared in accordance with applicable CEQA Guidelines, regulatory guidance, and industry-accepted methodologies. Each study will characterize existing environmental conditions, describe the applicable regulatory framework and significance thresholds, evaluate potential impacts of the Project using accepted analytical tools and professional standards, and recommend feasible avoidance, minimization, or mitigation measures if necessary to reduce impacts to less than significant levels. The results of these studies will support the environmental analysis in the Focused IS/MND and will be incorporated into the document or included as technical appendices, as appropriate.

Biological Resources:

The DE Team will conduct a biological resources evaluation by updating database searches (CNDDDB, CNPS, and USFWS IPaC) and performing a reconnaissance field survey within the Project site and a 500-foot buffer. Based on these efforts, the DE Team will assess the potential for special-status species and sensitive habitats and recommend avoidance, minimization, and mitigation measures, as needed. Results will be incorporated into the IS/MND, assuming site access and provision of georeferenced Project data by the District.

Cultural Resources:

The DE Team will conduct a cultural resources evaluation building on prior records research, completing a pedestrian field survey, and preparing a Cultural Resources Assessment Report for inclusion in the Focused IS/MND. The survey will be conducted by qualified personnel and will document any resources identified, with findings used to assess impacts and provide recommendations consistent with CEQA. The DE Team will also support AB 52 consultation by assisting with Native American outreach, documentation, and coordination, as needed.

Screencheck Draft Focused Initial Study/Mitigated Negative Declaration:

Following receipt of one consolidated set of comments from OID on the Administrative Draft Focused IS/MND and supporting technical studies, The DE Team will prepare a Screencheck Draft Focused IS/MND. This step allows OID to confirm that all comments and requested revisions have been appropriately incorporated prior to preparation of the Public Review Draft.

The DE Team will review and address OID comments and ensure that revisions are clearly integrated throughout the document and that the environmental analysis remains consistent across all sections. Where comments require clarification of technical analyses or mitigation measures, the DE Team will coordinate with the appropriate technical specialists to ensure revisions remain supported by the technical studies and consistent with CEQA requirements.

To facilitate review, the DE Team will provide a comparison (redline/strikeout [RLSO]) version of the Screencheck Draft identifying edits made since the Administrative Draft. This approach allows OID staff to efficiently verify that comments have been addressed and helps reduce additional revision cycles.

Public Review Draft Focused Initial Study/Mitigated Negative Declaration and Notice of Intent:

Once the Screencheck Draft has been approved by the District, the DE Team will prepare the Public Review Draft Focused IS/MND for circulation in accordance with the CEQA Guidelines. This version of the document will incorporate all final edits, graphics, tables, and technical appendices and will be formatted for public distribution.

The DE Team will also prepare a draft Notice of Intent (NOI) and Notice of Completion (NOC) to Adopt a Mitigated Negative Declaration for the District's use. The NOI will include a concise Project summary, description of the environmental document, and information regarding the public review period and comment submittal procedures. The District, acting as CEQA Lead Agency, will be responsible for filing the County notices and posting the CEQA document on their website. The DE Team will publish the notices on the State Clearinghouse website.

The focused structure of the IS/MND will help facilitate an efficient public review process by clearly identifying the environmental topics with potential impacts while demonstrating, through substantial evidence, why other resource areas do not require detailed analysis. This targeted approach results in a

document that is easier for reviewers and agencies to understand and reduces the likelihood of confusion or unnecessary comments on topics unrelated to the Project.

During the 30-day public review period, the DE Team will remain available to assist the District with responding to questions from agencies or the public and providing clarification regarding the environmental analysis, if needed. Following completion of the circulation period, the DE Team will compile and review all comments received and prepare written responses consistent with the CEQA Guidelines.

Response to Comments and Final Focused IS/MND:

Following completion of the public review period, the DE Team will review all comments received from agencies and the public and prepare written responses to substantive environmental comments in accordance with the CEQA Guidelines. Responses will clearly address the issues raised, provide supporting technical information where necessary, and identify any revisions to the document that may be required.

The DE Team's approach to comment response emphasizes clarity and transparency while maintaining the technical integrity of the environmental analysis. Where appropriate, responses will reference supporting technical studies, regulatory standards, or previously disclosed environmental information to demonstrate that the issues raised have been adequately evaluated.

The DE Team will incorporate responses to comments into the Final Focused IS/MND and will prepare a Mitigation Monitoring and Reporting Program (MMRP) that identifies the timing, responsibility, and verification procedures for each mitigation measure adopted for the Project. Following adoption of the Final Focused IS/MND by the District, the DE Team will prepare the Notice of Determination (NOD) in accordance with CEQA Guidelines Section 15075. The DE Team will prepare the completed notice and provide it to the District for filing the notice and paying the applicable fees with the appropriate County Clerk's Office and the State Clearinghouse.

Environmental Permitting Deliverables:

- Draft Administrative Focused IS/MND (Microsoft [MS] Word format and PDF)
- Technical Studies Draft/Final (MS Word format and PDF)
 - Biological Resources Analysis
 - Cultural Resources Letter Report
- Screencheck Focused IS/MND (RLSO and Clean MS Word format)
- Draft/Final NOI and NOC (MS Word format and PDF)
- Draft Public Review Focused IS/MND (PDF)
- Draft/Final Response to Comments (MS Word format and PDF)
- Final Focused IS/MND (MS Word format and PDF)
- Draft/Final MMRP (MS Word format and PDF)
- Draft NOD (MS Word format)
- State Clearinghouse submittal of NOD (PDF)

Task 5. Division of Safety of Dams Coordination: The DE Team will coordinate with the Division of Safety of Dams (DSOD) and electronically transmit a letter to the DSOD stating that the existing reservoir was constructed under an agricultural exemption and asking for similar consideration as part of the

expansion. As an attachment to the letter, the DE Team will include a complete set of 60% design plans. Whether or not an extension of the previous agricultural exemption will apply is unknown. Given this variability, the permitting process is highly variable and largely unknown at this time. As a result of this variability, the DE Team will provide the following professional services as part of this proposal:

- Electronically transmitted letter to the DSOD.
- (3) 1-hour meetings (up to 2 DE members) with the DSOD.

Coordination with the DSOD, in excess of that noted above, shall be done on a time and material basis (in addition to the costs noted herein), unless otherwise agreed to in writing between DE and OID.

Task 6. Complete 100% Design:

Based off the 60% design drawings, the DE Team will incorporate OID's comments, and refine the current 60% plans bringing them up to 100% design plans. The 100% design plans will be construction ready and will incorporate all of the necessary revisions stemming from Tasks 4 and 5. This includes:

- OID Comments.
- DSOD Comments.
- Environmental revisions required for CEQA approval.
- Incorporation of Constructability recommendations

Task 6 will also include the completion of an EOPCC, BODR and Technical Specifications.

The DE Team will also consult with P&P to perform a constructability review of the 100% design plans and Technical Specifications.

Optional Task 7. On-Call Services: The District may wish for the DE Team to support other professional design services not expressly included in this proposal, on an as needed and as directed basis. This task will not be utilized without prior approval from CLIENT and mutual agreement between DE and District as to the scope of professional services to be provided. Examples of such on-call professional services may include, but are not limited to, presentations to OID Board of Directors, identification of grant funding opportunities, grant proposal development support (limited to remaining available budget), unexpected coordination with agencies, and discussions with potential project partners.

3.2 Deliverables

The following deliverables will be provided to the District:

TASK 1 DELIVERABLES

- Electronic Copy of Project billings and cost tracking.
- Meeting Agenda and Notes.

TASK 2 DELIVERABLES

- Electronic copy of Draft and Final Geotechnical Investigation Report.

TASK 3 DELIVERABLES

- Electronic copy of DRAFT BODR.
- Electronic copy of DRAFT 60% Design Drawings.
- Electronic copy of DRAFT Engineer's Opinion of Probable Construction Cost.

TASK 4 DELIVERABLES

- Electronic copy of CEQA documentation.

TASK 5 DELIVERABLES

- Electronically transmitted letter to the DSOD.
- DSOD's Initial Response.

TASK 6 DELIVERABLES

- Electronic copy of final BODR.
- Electronic copy of final 100% Design Drawings.
- Electronic copy of final Engineer's Opinion of Probable Construction Cost.
- Electronic copy of Technical Specifications.

3.3 Assumptions

The following assumptions were made in developing this proposal. To the extent that these assumptions do not hold true, the effort and therefore the cost and schedule required to perform the professional services could be affected.

- No SCADA/communications work is included in this proposal.
- No new data acquisition, including surveying or ground-based topographic data, will be performed as part of this proposal.
- No survey work, boundary survey, easements or otherwise, will be completed as part of this scope of work.
- The DE Team will not be responsible for providing any legal advice, legal guidance and/or legal opinions.
- Except as specifically listed above, any and all filing and permit application fees will be the responsibility of OID.
- Any and all mitigation (environmental or other) required will be the responsibility of OID.
- OID shall provide the DE Team with all landowner contact information as may be required.
- OID will work cooperatively with the DE Team and respond timely to the DE Teams information requests.
- OID standard details will be used.
- OID agrees that the DE Team can't guarantee timely action by the permitting agencies and therefore, any delay on behalf of the permitting agencies will impact the schedule set-forth in this proposal.
- OID will facilitate DE Team access to lands as may be required during completion of the work outlined herein.
- OID will be the lead for stakeholder and landowner outreach.
- Project work required and/or requested by OID which is not covered in this proposal shall be paid for by OID on a time and materials basis at the applicable DE Team rate then in effect.

- The DE Team reserves the right to augment the DE Team with additional Team members and remove Team members as may be required to facilitate successful Project completion.
- DSOD application components and coordination shall be limited to the items listed in Task 5 above. Inundation maps are specifically excluded from this scope of work.
- This proposal does not anticipate obtaining any encroachment or special site access permits for this work.
- It is assumed that coordination with PG&E will be done by the District and is not a part of this proposal.
- If other permits are determined to be necessary, the DE Team will first obtain additional authorization as appropriate under a change order, to be issued by OID.
- Preparation of bid documents and bidding support services are excluded from this proposal.

3.4 Schedule

DE proposes to complete all work by January 29th (Table 1). Work will progress to meet milestones on a timeline as defined in the table below. Delays in the notice to proceed from OID will result in corresponding delays or shifts to the subsequent milestones. Schedule implications or deviations from the milestone dates that occur during the work will be made known to OID as soon as practicable.

Table 1. Summary of project schedule including key milestones and milestone dates.

Milestone	Milestone Date
Notice to Proceed	July 7 th
Complete Geotechnical Investigations and Recommendations	August 31 st
Complete 60% Design	October 9 th
¹ Begin DSOD Coordination	October 16 th
Complete CEQA	January 29 th
Complete 100% Design	February 8 th

¹ The above schedule only includes DSOD coordination limited to the items listed in Task 5 above. Inundation maps are specifically excluded from this scope of work.

3.5 Cost Proposal

The estimated budget required to perform the work described above is \$279,640. For budgeting purposes, a detailed subtask budget was prepared and is provided in Table 2. While estimated costs are based on a detailed task-by-task buildup, actual project costs will not necessarily be tracked on a task basis, nor will individual task budgets constrain charges for work performed up to the total estimated budget.

Table 2. Project estimated budget summary by task.

Task Number	Task Name	DE Labor Cost	Sub - Contractor Cost	Direct Cost	Estimated Total Cost
1	Perform Project Management	\$30,600	\$0	\$0	\$30,600
2	Complete Geotechnical Investigations and Recommendations	\$1,990	\$37,200	\$0	\$39,190
3	Complete 60% Design	\$48,460	\$5,000	\$0	\$53,460
4	Complete Environmental Permitting	\$13,980	\$63,100	\$0	\$77,080
5	DSOD Coordination	\$9,000	\$0	\$0	\$9,000
6	Complete 100% Design	\$40,810	\$9,500	\$0	\$50,310
7	On-Call Services (Optional)	\$20,000	\$0	\$0	\$20,000
Totals		\$164,840	\$114,800	\$0	\$279,640

BOARD AGENDA REPORT

Date: July 7, 2026
Item Number: 7
APN: N/A

SUBJECT: REVIEW AND TAKE POSSIBLE ACTION TO APPROVE THE RESOLUTION ADOPTING THE REVISED INJURY AND ILLNESS PREVENTION PROGRAM (IIPP) AND CODE OF SAFE PRACTICES

RECOMMENDED ACTION: Review and take possible action to approve the resolution to adopt the revisions to the revised Injury and Illness Prevention Plan (IIPP) and Code of Safe Practices

BACKGROUND AND/OR HISTORY:

To maintain compliance with Title 8, California Code of Regulations, Section 3203, Injury and Illness Prevention Program (IIPP), the District periodically reviews and updates its program to ensure it remains current, effective, and aligned with regulatory requirements and operational needs.

The proposed updates are minor revisions to existing program elements and consist primarily of grammar and spelling corrections, as well as updating the Safety Coordinator. One of the primary changes is that the Code of Safe Practices has been removed from the IIPP and will instead be maintained as standalone documents. This change allows for more efficient updates and distribution of safety practices applicable to specific job classifications and work activities while preserving the overall integrity of the IIPP.

These revisions are intended to streamline program administration while continuing to support the identification, evaluation, and correction of workplace hazards, employee training, and effective communication regarding health and safety matters.

The core requirements and objectives of the IIPP remain unchanged. The revised program will continue to provide a comprehensive framework for promoting a safe and healthful workplace and will maintain compliance with applicable Cal/OSHA regulations.

FISCAL IMPACT: None

ATTACHMENTS:

- Resolution
 - Exhibit A: Revised OID Injury and Illness Prevention Plan
 - Exhibit B: Code of Safe Practices
-

Board Motion:

Motion by: _____ **Second by:** _____

VOTE:

Orvis (Yes/No) Doornenbal (Yes/No) DeBoer (Yes/No) DeBoer (Yes/No) Tobias (Yes/No)

Action(s) to be taken:

**OAKDALE IRRIGATION DISTRICT
RESOLUTION NO. 2026-NIL**

**REVISED ILLNESS, INJURY, AND PREVENTION PROGRAM (IIPP) AND
CODE OF SAFE PRACTICES**

WHEREAS, Title 8, California Code of Regulations, Section 3203 requires employers to establish, implement, and maintain an Injury and Illness Prevention Program; and

WHEREAS, the District has reviewed and updated its Injury and Illness Prevention Program and Code of Safe Practices to maintain compliance with applicable safety regulations to support a safe and healthful workplace.

NOW, THEREFORE, BE IT RESOLVED that the Board of Directors of the Oakdale Irrigation District hereby adopts the revised Injury and Illness Prevention Program and Code of Safe Practices, effective immediately upon adoption.

BE IT FURTHER RESOLVED that the Injury and Illness Prevention Program and Code of Safe Practices shall remain in full force and effect until amended or repealed by action of the Board of Directors.

PASSED AND ADOPTED by the Board of Directors of the Oakdale Irrigation District at a regular meeting held on July 7, 2026, by the following roll call vote:

AYES:

NOES:

ABSTAIN:

ABSENT:

ATTEST:

APPROVED:

SCOT A. MOODY, Secretary

**THOMAS D. ORVIS, President
Board of Directors**

**Oakdale Irrigation District
Injury & Illness Prevention Program
2026 Revision**

Signature Sheet



Document Received: 2026 Oakdale Irrigation District IIPP

Employee Name: _____
(Print Name)

Employee Signature: _____

Employee Number: _____

Date: _____

OAKDALE IRRIGATION DISTRICT INJURY AND ILLNESS PREVENTION PROGRAM

PURPOSE

The purpose of the Injury/Illness Prevention Program (IIPP) is to create an organized approach to employee accident prevention. This IIPP is the foundation of Oakdale Irrigation District's overall safety program.

REQUIREMENTS

Oakdale Irrigation District (OID) recognizes that every California Employer must establish, implement and maintain this program, and a copy of the IIPP must be maintained at each worksite. The requirements for establishing, implementing and maintaining an effective IIPP are contained in Title 8 of the California Code of Regulations, Section 3203 (T8 CCR 3203) and consist of the following eight elements:

- Responsibility
- Compliance
- Communication
- Hazard Assessment
- Accident/Exposure Investigation
- Hazard Correction
- Training and Instruction
- Recordkeeping

RESPONSIBILITY

The General Manager shall be the Injury and Illness Prevention Program Administrator. It shall be the responsibility of the General Manager to provide the necessary leadership and resources for an effective Injury and Illness Prevention Program. The General Manager shall appoint a Safety Coordinator to maintain and administer the requirements of each of the eight IIPP Program Elements listed above.

The General Manager, Safety Coordinator, Department Managers and Supervisors shall be responsible for:

1. Implementing and maintaining the IIPP in their work areas and for answering worker questions about the IIPP.
2. Assuring that a copy of this program is available for review.
3. Knowing the program and providing the necessary leadership to ensure its success.
4. Providing employees with proper training and being a good example.
5. Ensuring that all safety and health policies and procedures are clearly communicated and understood by all employees.
6. Enforcing the rules of safety fairly and uniformly.

All OID employees shall be responsible for knowing the IIPP and giving the program their total support. Employees shall be expected to learn the hazards of their trade, practice safe behavior and help their fellow employees prevent accidents. All employees shall be responsible for using safe work practices, for following all directives, policies and procedures, and for assisting, maintaining, and continuously improving a safe work environment.

COMPLIANCE

All employees, including managers and supervisors, are responsible for complying with safe and healthful work practices. OID's system of insuring that all employees comply with these practices shall be:

1. Informing all employees of the provisions of the Injury and Illness Prevention Program.
2. Routinely evaluating the safety performance of all employees.
3. Recognizing employees who perform safe and healthful work practices.
4. Providing training to employees whose safety performance is deficient.
5. Disciplining employees for failure to comply with safe and healthful work practices.

Compliance Disciplinary Policy

Willful and flagrant violation of documented Cal/OSHA regulations and training shall be considered a major infraction under P.P.P. Section 5.408-IV(C) and subject the employee to immediate discipline as outlined below:

- I. Any hourly employee that willfully and flagrantly violates a Cal/OSHA regulation for which he/she has had documented training will result in a three-day suspension without pay for the first violation.

Any work crew of hourly employees that willfully and flagrantly violates a Cal/OSHA regulation for which crew members have had documented training will result in a three-day suspension without pay for each offending crew member for the first violation.

Any Crew Leader who witnesses, permits, or does not correct Cal/OSHA violations being committed on the job site by an individual employee or crew of employees, whether under their control or not, will be given a three-day suspension on their first offense.

Any Supervisor or Manager who witnesses, permits, or does not correct Cal/OSHA violations being committed on the job by an individual employee or crew of employees, whether under their control or not, will be given a five-day suspension.

- II. The second willful and flagrant violation of a Cal/OSHA regulation within a two-year period by any employee that has documented training will result in termination.

COMMUNICATION

All managers and supervisors are responsible for communicating with all employees about occupational safety and health in a form readily understandable by all employees. Oakdale Irrigation District's communication system shall encourage all employees to inform their managers and supervisors about workplace hazards without fear of reprisal.

OID's communication system includes the following:

1. New employee orientation shall include a discussion of safety and health policies and procedures.
2. Periodic review for all employees of the OID Injury and Illness Prevention Program.
3. Workplace Safety and Health training programs.
4. Regularly scheduled tailgate safety meetings.
5. Posted and distributed safety information.
6. A system for all employees to anonymously inform management about workplace hazards.
7. An Employee Safety Committee that meets regularly, prepares written records of the safety committee's meetings, reviews results of the periodic scheduled inspections, reviews investigations of accidents and makes suggestions to management for the prevention of future incidents, reviews investigations of alleged hazardous conditions, and submits recommendations to assist in the evaluation of employee safety suggestions.

HAZARD ASSESSMENT

Periodic announced and unannounced inspections to identify and evaluate workplace hazards shall be performed by the District Safety Coordinator/competent observer(s) in the following areas of the Oakdale Irrigation District:

1. The Administration Office
2. The Support Services Facilities Yard includes the Auto Shop, Warehouse, and Weld Shop.
3. All Facilities throughout the District to include domestic water facilities, irrigation works and water storage facilities.
4. All Contractor work sites.

Periodic inspections shall be performed according to the following schedule:

1. When OID initially establishes and/or revises its Injury and Illness Prevention Program(s).
2. When new substances, processes, procedures or equipment, which present potential new hazards, are introduced into our workplace.

3. When new, previously unidentified hazards are recognized.
4. When occupational injuries and illnesses occur.
5. Whenever workplace conditions warrant an inspection.
6. When OID hires and/or reassigns employees to processes, operations, or tasks for which a hazard evaluation has not been previously conducted.

INCIDENT / EXPOSURE INVESTIGATIONS

Procedures for investigating workplace incidents, serious injuries, near-miss incidents and hazardous substance exposures shall include:

1. Visiting the incident scene as soon as possible. The District Safety Coordinator shall be notified immediately of all employee injuries, threats of violence, vehicle accidents, fires, and hazardous waste spills.
2. Interviewing injured employees and witnesses.
3. Examining the workplace for factors associated with the incident, injury or exposure.
4. Determining the cause of the incident/exposure.
5. Taking corrective action by Management to prevent the incident, injury or exposure from recurring.
6. The District Safety Coordinator shall be responsible for preparing an incident analysis, recording the findings, making recommendations for prevention and documenting any actions taken.

NEAR MISS, SERIOUS EXPOSURE AND SERIOUS INJURY REPORTING POLICY

NEAR MISS AND SERIOUS EXPOSURE REPORTING POLICY STATEMENT

At OID we endeavor to create an open, fair, and accident free safety culture. The District welcomes the knowledge gained from near-miss and adverse events as an opportunity to benefit our employees, customers, and visitors through this sharing process.

Unless there is clear evidence of flagrant malpractice, a complete and wanton disregard for the safety of self or others, maliciousness, intent to harm, theft or fraud the disciplinary policy will not be used for investigation purposes.

Near miss incidents will be investigated for the purpose of learning and implementing practical changes when needed in pursuit of our Target Zero accident goal. All OID employees are required and encouraged to engage as active participants in this process.

A serious exposure is now defined as an exposure to a hazardous substance that occurs as a result of an incident, accident, emergency, or exposure over time and is in a degree or amount sufficient to create a realistic possibility that death or serious physical harm in the future could result from the actual hazard created by the exposure.

SERIOUS INJURY REPORTING POLICY STATEMENT

All serious injuries, illnesses or fatalities shall be reported to Cal/OSHA immediately by the OID Safety Coordinator, Supervisor or Manager.

Cal/OSHA defines a serious injury as one involving any one of the following:

Any hospitalization, regardless of length of time, for other than medical observation or diagnostic testing; amputation; loss of an eye; serious degree of permanent disfigurement or death.

Accidents that result in serious injury or illness, or death that occur in a construction zone on a public street or highway are now included by statute. Work-related injuries, illnesses and deaths caused by the commission of a Penal Code violation are no longer excluded from the definition of "serious injury or illness".

All damage to District tools, equipment, and facilities shall be reported to management.

HAZARD CORRECTION

Unsafe or unhealthy work conditions; practices or procedures shall be corrected in a timely manner based on the severity of the hazards. Hazards shall be corrected in accordance with the following procedures:

1. When observed or discovered. District employees are required to report unsafe conditions and unsafe acts immediately.
2. When an imminent hazard exists, which cannot immediately be abated without endangering employees and/or property, OI D will remove all exposed employees from the area except those necessary to correct the existing condition. Employees who are required to correct the hazardous condition shall be provided with the necessary protection.
3. All such actions taken and dates they are completed shall be documented.

TRAINING AND INSTRUCTION

All employees, including managers and supervisors, shall have training and instruction on general and job-specific safety and health practices. Training and instruction shall be provided as follows:

1. When the IIPP is first established and or revised.
2. To all new full-time employees, part-time employees, interns, and temporary employees.
3. To all employees that are given new job assignments for which training has not been previously provided.
4. Whenever new substances, processes, procedures or equipment are introduced to the workplace and represent a new hazard.
5. Whenever the employer is made aware of a new or previously unrecognized hazard.
6. To supervisors to familiarize them with the safety and health hazards to which employees under their immediate direction and control may be exposed.
7. To all employees with respect to hazards specific to each job assignment.
8. In accordance with Cal/OSHA training regulations.

Workplace safety and health training practices for OID include, but are not limited to the following:

1. Implementation and maintenance of the OID IIPP, Emergency Action Plan, and other Cal/OSHA mandated programs that are relevant to OID operations.
2. Measures for reporting any unsafe conditions, work practices, and injuries.
3. The use of appropriate clothing, including gloves, footwear and personal protective equipment.
4. Information about chemical hazards to which employees could be exposed and other hazard communication program information.
5. Availability of toilet, handwashing and drinking water facilities.
6. Provisions for medical services and first aid including emergency procedures.
7. Prevention of musculoskeletal disorders, including proper lifting techniques.
8. Proper housekeeping, such as keeping stairways and aisles clear, work areas neat and orderly, and promptly cleaning up spills.
9. Prohibiting horseplay, scuffling, or other acts that tend to adversely influence safety.
10. Proper storage to prevent stacking goods in an unstable manner and storing goods against doors, exits, fire extinguisher equipment and electrical panels.
11. Proper reporting of hazards and accidents to supervisors.
12. Hazard communication, including employee awareness of potential chemical hazards, and proper labeling of containers.
13. Proper storage and handling of toxic and hazardous substances, including prohibited eating or storing food and beverages in areas where they can become contaminated.
14. Providing specific instructions to all employees regarding hazards unique to their job assignment, to the extent that such information is not already covered in other training.

RECORDKEEPING

Oakdale Irrigation District has taken the following steps to implement and maintain the Injury and Illness Prevention Program:

1. Records of hazard assessment inspections, including the person(s) conducting the inspection, the unsafe conditions and work practices that have been identified and the action taken to correct the identified unsafe conditions and work practices, are recorded on a hazard assessment and correction form.
2. Documentation of safety and health training for each worker, including the worker's name or other identifier, training dates, type(s) of training, and training providers are recorded on a worker training and instruction form. OID also includes the records relating to worker training provided by a construction industry occupational safety and health training program approved by Cal/OSHA.

Inspection records and training documentation shall be maintained for a minimum of six years, except for training records of employees who have worked for less than one year, which may be provided to the employee upon termination of employment.

**OAKDALE IRRIGATION DISTRICT
CODE of SAFE PRACTICES and OPERATING PROCEDURES**

- A. General Practices
- B. Hand Tool Safety
- C. Fire Safety
- D. Grinder Safety
- E. Material Handling Safety
- F. Operations and Care of Heavy Construction Equipment
- G. Roll-Over Protection (ROPS) and Seat Belts
- H. Haulage and Earth Moving Equipment
- I. High lift Trucks
- J. Vehicle-Mounted Elevating Work Platforms
- K. Cranes
- L. Mobile Hydraulic Cranes
- M. Slings
- N. Excavations, Trenches, and Earthwork
- O. Confined Spaces
- P. Traffic Control of Public Streets and Highways
- Q. Auto Repair Shops
- R. Machine Shops
- S. Vehicle Backing
- T. Office and Clerical

SAFE PRACTICES AND OPERATING PROCEDURES

These practices and rules may apply either alone or in addition to the Code of Safe Practices as determined by conditions or operations. Additional safe work practices may be found in the American Water Works Association's *Safety Practices for Water Utilities* (AWWA M3), the Cal/OSHA Pocket Guide for Construction, NFPA 70E, National Electrical Code and applicable Cal/OSHA Regulations.

All employees shall understand and follow all Safe Practice Rules and Operating Procedures established and render every possible aid to safe operations as described below:

Reporting of unsafe acts and conditions

- Any unsafe act
- Any unsafe condition
- Any accident, injury or illness, including near misses and property damage incidents.
- Defective or damaged equipment.
- Hazardous safety and/or fire safety issues.
- Foreign material found on the facility (remove if possible)
- Any employee engaging in or encouraging any unsafe act and/or condition shall receive a safety violation.

Reporting of all Injury, Illness, and Incidents

- All injuries to employees, visitors, contractors, or the general public, no matter the nature or significance, shall be reported immediately pursuant to the established procedures.
- Late reporting or not reporting at all are considered safety violations.
- Classifications to report include Near Miss, Injury no Medical, Injury with Medical, and Property Damage.

A. General Practices

1. Employees shall enter, leave and conduct themselves at all times in an orderly manner while on company property.
2. There shall be no running or horseplay.
3. Intentional misuse of any tool, equipment or material is strictly forbidden.
4. Safety clothing, equipment, devices and guards must be used as prescribed and designated.

5. No person shall remove, displace, damage, destroy or carry off any safety device, safeguard notice or safety sign.
6. Approved eye, head and ear protection must be worn in designated areas and/or designated jobs.
7. Gloves must not be worn while working with or on rotating equipment such as lathes without prior supervisory approval.
8. Suitable clothing must be worn at all times to ensure maximum efficiency and minimum hazard to employees.
9. The wearing of loose and baggy clothing including sweaters, shirt tails, shirt sleeves, etc., is forbidden around moving machinery.
10. Wrist watches, rings or other jewelry should not be worn when working with rotating equipment such as lathes, grinding wheels, etc.
11. Floor areas around machines shall be kept clean, dry and free of tripping hazards.
12. Do not oil, clean, repair or adjust a machine unless the power is shut off and locked out.
13. Keep fingers away from points of operation on machines, such as cutters, saws, drills, etc.
14. Turn off power and lock out machines before attempting to remove stuck or jammed pieces of material. (See OI Hazardous Energy Control Program)
15. If a machine is to be repaired, it must be locked in the "off" position during repair and physically disconnected from its source of power. Caution signs with appropriate wording must also be placed on the machine controls.
16. Do not operate any machine unless safeguards are in place and working properly. Machine guards may be removed only to make necessary adjustments and repairs and must be replaced before the machine is again put back into operation.
17. Be cautious while using compressed air. Compressed air should not normally be used for cleaning clothing and equipment. If this is done at all, it must be done with no more than 10 pounds of line pressure with an OSHA approved safety tip.
18. Good housekeeping should be uppermost in the minds of all employees.
 - a. Keep floors, aisles, work areas and exits clean and clear at all times.

- b. Tripping hazards such as air hoses, nuts, bolts, nails, screws, pieces of wire and other extraneous material should be picked up.
 - c. Oil and water spots on floors should be cleaned up immediately.
 - d. Tools and other materials should be kept in their designated places.
19. All defective personal protective equipment (PPE) shall be replaced immediately.
 20. When moving about your work area keep your eyes on your intended walking path at all times. (Look Where You Walk and Walk Where You Look)
 21. In order to prevent exposure to airborne respirable silica, water shall be used for dust control during all cutting operations involving concrete, brick, granite, asphalt and other stone products that present an airborne silica hazard.
 22. Hearing protection shall be used when employees are exposed to noise levels in excess of 85db.
 23. Standard minimum PPE for all jobsites includes OI issued safety vest, hard hat, and minimum 6" high non-slip leather or equivalent work boot.

B. Hand Tool Safety

1. Use the proper tool for the job.
2. While chipping, protect yourself and others from flying debris.
3. Do not pound on a screwdriver handle unless it is designed for such use.
4. Avoid holding work in your hand when using a screwdriver, as it may slip and cause a severe stab wound.
5. When possible, use a box wrench instead of an open-ended wrench.
6. Use adjustable wrenches only when necessary.
7. Keep burrs off the handles of all tools.
8. Use only tools that have properly fitted handles.
9. Never use a mushroom-headed tool.

10. Keep tools clean and grease free.
11. Do not use a file or a screwdriver as a pry bar.
12. Be sure material is properly secured in a vise or on a bench.
13. Portable Electric Tools:
 - Many portable, hand-held electric drills and other electric motor tools have exposed, non-current carrying, metal parts, which are likely to become energized in case of an internal short. To prevent electrocution, such tools must be grounded or double insulated. The grounding contact in the receptacle must also be attached to a continuous ground.

C. Fire Safety

1. Observe the "no smoking" rule around accumulations of dust and other flammable materials such as paint thinners, solvents, alcohol, gasoline, etc.
2. Only small amounts of gasoline, paint thinner, etc., may be kept in the work area and only in approved chemical safe cans -- all cans shall be labeled in accordance with the Hazard Communication Program.
3. Spills of flammable materials shall be cleaned up immediately using the appropriate spill kit.
4. Access to fire extinguishers and other fire equipment must be kept clear at all times.
5. Current certification on fire extinguishers should be maintained.

D. Grinder Safety

1. Wear eye protection at all times when grinding. (Full face shield and safety glasses)
2. Make sure that all guards are in place and that the tool rest is positioned within 1/8 inch of the grinding wheel and 1/8 inch of the top tongue guard.
3. Stand out of the rotation path when starting and using the grinder.
4. Use only the face of the wheel while grinding, unless the wheel is designed for side grinding.
5. Do not strike the wheel suddenly or use excessive pressure.

6. The hood guard that covers the spindle end, nut, and flange projections shall not be removed.

Grinder wheel replacement shall be in compliance with Cal/OSHA - General Industry Safety Orders § 3580, and shall include, but is not limited to, the following:

1. Inspecting new wheels for any defects.
2. Performing a “ring test on new wheel before installation.”
3. Installing the proper blotters, if applicable.
4. Test running the new wheel for 2 minutes before use.

E. Material Handling Safety

1. Lift the safe way -- keep the body upright. Lift with the leg muscles and not with the back. Always secure help when lifting heavy objects.
2. Wear gloves when handling sharp or rough objects.
3. Keep floors free of tripping hazards.
4. Remove all protruding objects from barrels, crates, wood boards and other objects where they might cause injuries.
5. Safety shoes should be worn at all times when in the yard or on a job site.
6. Any load over 60lbs shall be a two-person lift.
7. Bulky loads that block vision or are difficult to grasp and carry properly must be transported by hand truck or with assistance from a coworker.

F. Operation and Care of Heavy Construction Equipment

No employee shall operate any vehicle, piece of construction equipment or machine unsupervised until his or her skills and proficiency in the use of such device. Employees may only operate construction equipment after they have been approved, trained and signed off through the District Operator Training Program.

1. Repairs must not be made to powered equipment until workers are protected from movement of the equipment or its parts (Lock Out Tag Out).

2. Wherever mobile equipment operation encroaches upon a public thoroughfare, a system of traffic controls that meet the requirements of the most current California MUTCD must be used.
3. Flaggers (wearing high-visibility vests) are required at all locations where barricades and warning signs cannot control the moving traffic.
4. Vehicles used to transport employees must have adequate exterior lighting and be equipped with seat belts.
5. Equipment (and systems) must be checked for proper operation at the beginning of each shift.
6. Seat belts shall be worn at all times.

G. Rollover Protection (ROP) and Seat Belts

Where rollover protection devices have been installed on Off Road Work Machines, seat belts must be provided, and employees shall use seat belts at all times.

H. Haulage and Earth Moving Equipment

1. All construction equipment must be equipped with manually operated warning devices (i.e. working horn and lights)
2. All equipment operating in areas where backward movement is hazardous must be equipped with an automatic back-up alarm or its equivalent.
3. Every piece of equipment with a body or haulage capacity of 2.5 cubic yards or more (which is used to haul dirt, rock, concrete or other construction material) shall be equipped with a warning device that starts sounding immediately when the equipment is shifted into reverse.
4. Haulage vehicles in operation must be under operator control and must be kept in gear when descending grades.
5. The brakes on a haulage vehicle must meet the criteria specified by the Construction Safety Orders, Section 1591(c).
6. The control devices on a haulage vehicle must be inspected at least once each work shift.
7. Exposed scissor points on front-end loaders must be guarded.

8. The engine must be stopped during refueling.
9. Lights are required to be on during night operations or when visibility is low.
10. Scrapers, carryalls, power units and hauling units, operating at over 15 mph, must be equipped with fenders or equivalent.
11. Vehicles loaded by cranes, shovels, loaders and similar devices must have an adequate cap or canopy for operator protection.
12. Scrapers must have service brakes, a parking brake, and an emergency stopping system.
13. Dust must not be allowed to seriously limit visibility.
14. Respirators are required for drivers when air contamination becomes hazardous.
15. A spotter shall be used when heavy equipment is working near or traveling under power lines. All equipment shall maintain a minimum clearance of 10' from all overhead power lines that carry greater than 50 volts.
16. Hard hats are required to be worn when operating mini excavators.

I. High Lift Powered Industrial Trucks (Forklifts)

1. The rated lifting capacity must be posted in a location readily visible to the operator.
2. A high lift powered industrial truck must not be used to elevate employees unless a platform with guardrails is provided, the employee is using a safety harness with lanyard, and it is secured to the mast of the truck.
3. Employer must post and enforce a set of operating rules for high lift powered industrial trucks.
4. Basic Operating Rules:
 - a. Only trained and authorized people shall operate lifts.
 - b. Stunt driving and horseplay are prohibited.
 - c. Employees must not ride on the forks.

- d. Employees must never be permitted under the forks (unless the forks are blocked).
- e. Each driver must inspect his or her powered industrial truck at the beginning of each shift.
- f. The operator must look in the direction of travel and must not move the vehicle until all people are clear of the vehicle.
- g. Forks must be carried as low as possible, approximately 4-6 inches from the ground
- h. The operator must lower the forks, shut off the engine and set the parking brake (or block the wheels), before leaving the forklift unattended (operator out of sight of or 25 feet away from vehicle).
- i. The operator must lower the forks and set the brakes when in sight of and within 25 feet of, but off the forklift.
- j. Trucks must have their brakes set and wheels chocked, and equipment or loads must be tied down before being transported on trailers.
- k. Extreme care must be taken when tilting elevated loads.
- l. Every industrial truck must have operable brakes capable of safely stopping it when fully loaded.
- m. Industrial trucks must have parking brakes.
- n. Industrial trucks must have an operable horn and flashing yellow warning light
- o. All District industrial trucks must be equipped with overhead protection (canopy).
- p. A seat belt and hard hat shall be used when operating any powered industrial truck.
- q. Forklift operators shall ensure that all personnel are clear of the potential fall zone of the load being handled.

J. Mobile Elevating Work Platforms

This is a personal-lifting aerial device, which telescopes and/or articulates and includes extendable boom platforms, aerial ladders, articulating boom platforms and vertical towers.

1. General
 - a. Elevated platforms must not rest on any structure.
 - b. Controls must be tested daily, when being used.
 - c. Only trained and authorized people may operate this type of equipment.
 - d. Tying off safety harnesses to structures is prohibited.
 - e. Workers may stand only on the floor of the basket.
 - f. Safety harnesses must be worn at all times and attached to the boom or basket harness attachment points.
 - i. On Scissor Lifts if it causes more of a hazard it is not required to wear safety harnesses.
 - g. Brakes or load equalizers must be set when employees are elevated.
 - h. An aerial lift truck must not be moved with an elevated boom.
 - i. The following information must be displayed on the device:
 - Manufacturer's name, model and serial number
 - Rated capacity
 - Operating instructions
 - Cautions and restrictions
 - Load Chart (if applicable)
 - j. Platforms must be guarded by handrails (or equivalent protection).

K. Cranes

1. Employees are not to operate any cranes unless they have received training on the specific crane including District service truck and crew truck mounted Auto Cranes, shop bridge cranes and yard jib cranes
2. Each crane, derrick and cableway exceeding 3 tons capacity must be certified annually by a qualified person.
3. All cranes must be equipped with an operable warning device controllable by the operator.
4. No crane shall be operated with wheels or tracks off the ground unless properly secured on outriggers.
5. A qualified signal person shall be used when the point of operation is not in full and direct view of the crane operator.

L. Mobile Hydraulic Cranes / Boom Trucks

1. Employees are not allowed to operate Mobile Hydraulic Cranes unless they have been certified through the National Commission for the Certification of Crane Operators (NCCCO).
2. A load-rating chart must be posted at a location readily visible to the operator and the following items confirmed before lifting a load.
 - Weight of load
 - Load Radius
 - Boom angle
3. An operator shall not move any load until it is confirmed safe by the load chart.
4. All hydraulic hoses must be visually inspected each day for the following defects:
 - Oil leakage at flexed surfaces or couplings.
 - Blistering, excessive cracking, or deformation.
 - Oil leaks at all joints including threaded or clamped joints.

- Excessive abrasion.
5. Each hydraulic crane shall have the following capabilities:
- Outriggers must be used according to certifying agency requirements.
 - Boom angle indicator (telescopic booms) must be installed.
 - Boom hoist disconnect (boom stop) must be installed.

M. Slings

1. Slings and attachments must be inspected daily for damage or defects.
2. Damaged/defective slings must be removed from service immediately.
3. Chain or wire rope slings must not be shortened by knots, bolts, or other means.
4. Sling legs must not be kinked.
5. Slings must not be overloaded.
6. Slings must be padded to protect against damage from sharp loads.
7. Suspended loads must be kept clear of all obstructions.
8. Slings and chokers shall be kept clean and free from contaminants.
9. Avoid operations that expose employees to overhead loads.
10. When loads must pass over workers all workers shall be instructed to move to a safe location as load passes their work area.
11. Deformed or defective sling hooks and rings must not be used.

N. Excavations, Trenches, and Earthwork

A permit by DOSH (Division of Occupational Safety and Health) is required before starting work on excavations five feet deep or more in which workers are required to enter before excavating. Public agencies are exempt, however outside contractors are required to obtain a permit.

1. Determine the location of underground utilities and notify all Regional Notification Centers and all known owners of underground facilities in the area of proposed work at least 2 days prior to the start of excavation work. An exception is made for emergency repair work to underground facilities. The District's Support Services Manager is the sole employee who can authorize an exception for emergency repair work providing they confer with the District Safety Coordinator prior to commencing work.
2. When excavation operations approach the estimated location of underground installations, the exact location is to be determined by safe and acceptable means such as hand digging.
3. All open excavations are to be protected, supported or removed as necessary to protect employees.
4. Provide stairways, ladders, ramps or other safe means of egress in trench excavations 4 feet or more in depth so as to require no more than 25 feet of lateral travel for employees.
5. Employees exposed to public vehicular traffic shall be provided with and wear high-visibility vests or other garments marked with or made of Type III retro-reflective or high-visibility material.
6. No employee shall be permitted underneath loads handled by lifting or digging equipment. Employees shall stand away from any vehicle being loaded or unloaded to avoid being struck by spillage or falling materials.
7. Warning systems such as barricades, hand or mechanical signals, or stop logs shall be used to alert mobile equipment operators working near the edge of an open excavation.
8. Atmospheric monitoring of excavations greater than 4 feet in depth must be conducted to test for oxygen deficiency and flammable gas when the excavations are in landfill areas or areas where hazardous materials are known to have been on site or stored nearby. Monitoring and ventilation will be conducted as often as necessary to ensure the atmosphere is safe.
9. Employees entering deep and confined footing excavations shall wear a safety harness with a lifeline attached to it and shall be individually attended to while in the excavation.
10. Employees shall not work in excavations in which there is standing water or where water is accumulating unless precautions are taken to ensure the safety and protection of the employee.

11. Employees shall not work in excavations below the level of the base or footing of any foundation or retaining wall that could be expected to pose a hazard to the employee unless a support system is provided, the excavation is in stable rock, or a registered professional engineer has determined the excavation work will not pose a danger to the employee.
12. Employees shall not work in excavations adjacent to undermined sidewalks, pavements or similar structures unless a support system is in place to prevent the sides from collapsing.
13. Employees shall be protected from loose soil, rocks or materials that could fall or roll from the excavation face. Materials, equipment and spoils shall be kept at least two feet from the edge of excavations.
14. A competent person shall complete an OID trench permit; make daily inspections of excavations, adjacent areas, and protective systems prior to the start of work. Inspections shall be made after every rainstorm or any event that could increase the hazards.
15. Walkways or bridges with standard guardrails shall be provided over excavations greater than 6 feet deep and wider than 30 inches where employees or equipment are permitted to cross over.
16. Physical barriers shall protect all remotely located excavations. Wells, pits, shafts, etc. shall be barricaded or covered. Upon completion of operations, these wells, pits or shafts shall be backfilled.

O. Confined Spaces

Employees are not to enter a confined space unless they have been trained on the hazards of confined spaces, understand procedures for safe entry, and have full understanding of the District Confined Space Entry Program.

- a. All confined spaces must be identified and categorized appropriately.
- b. Never enter a confined space without testing the atmosphere, continuously ventilating, and filling out a permit.
- c. Confined space entry procedures must be established (written) and followed.
- d. Ladders or stairs must be in place for ingress and egress from confined spaces. Use of gates, piping, or other apparatus as a means of ingress and/or egress is unacceptable.

P. Traffic Control for Public Streets and Highways

1. Where a hazard exists to employees because of traffic or haulage conditions at work sites that encroach upon public streets or highways, a system or traffic control in conformance with the most recently approved "Manual of Traffic Control," published by the California Department of Transportation, shall be required to abate the hazard.

Note: Additional means of traffic control, such as continuous patrol, detours, barricades or other techniques for the safety of employees may be deployed.

2. Specifications for the size and design of signs, lights and devices used for traffic control shall be as described in the "Manual of Traffic Control".
3. Employees (on foot) exposed to the hazard of vehicular traffic shall wear Class III high-visibility jackets or vests.
 - a. Flaggers shall be utilized at construction sites where barricades and warning signs cannot control the moving traffic.
 - b. When flaggers are required, they shall be placed in relation to the equipment or operation to give effective warning.
 - c. Advanced warning signs shall be placed ahead of the flaggers as specified in the "Manual of Traffic Controls". The distance between the signs and the flagger shall be based on the traffic speed as outlined in the "Manual of Traffic Controls".
 - d. Flaggers shall wear the appropriate warning garments as outlined in the "Manual of Traffic Controls". Rainwear shall be orange, bright yellow-green or yellow and will be worn under the appropriate warning garments.
 - e. During the hours of darkness, flagger stations shall be illuminated in such a way that the flagger will be clearly visible to approaching traffic. Flaggers shall be outfitted with Type III retro reflective garments.
 - f. Flaggers shall be trained in the proper fundamentals of flagging moving traffic before being assigned as flaggers. Signaling directions used by flaggers shall conform to the "Manual of Traffic Controls".

Q. Auto Repair Shops

1. Slippery Floors

- a. Slippery floors caused by spilled oil, grease, gasoline, water, etc., are among the most common causes of accidents in the auto repair industry. Spills should be cleaned up immediately.
- b. These accidents can be prevented by using good housekeeping rules. Each mechanic should be required to sweep their stall to eliminate clutter and clean up all spills.

2. Engine Exhausts

To protect employees from hazardous concentrations of carbon monoxide, an effective ventilation system or a provision to prevent the release of engine exhaust in the work area should be required. This is commonly handled by providing at each work location a flexible tube, attached to the vehicle's exhaust pipe that carries the exhaust outside the shop. Even short-term exposure to engine exhaust can be hazardous. Headache, nausea, fatigue and eye irritation can result, which can affect the employee's judgment and lead to unsafe performance.

3. Asbestos Dust from Brake and Clutch Jobs

The dust from brake and clutch repairs may contain asbestos, which, if inhaled, can cause very serious lung diseases. Due to the seriousness of this hazard, strict requirements have been adopted for locations where airborne asbestos fibers are produced during brake and clutch repairs.

4. Tire Inflation Equipment

- a. A clip-on chuck must be used for tire inflation, which has a minimum 24-inch length hose to an in-line valve and gauge. This permits the employee to stay out of the line of trajectory in case of rim flange failure.
- b. OID employees are not permitted to work on a split-rim or retaining ring tire that is not mounted to the vehicle or equipment. OID employees may adjust the tire pressure only on these types of tires/rims and must follow the guidelines noted above.
- c. Tire inflation rules must be posted at the worksite.

5. Jacks

Never work under a car, which is supported only by jacks. Always place adjustable stands or other substantial supports beneath the car so that it will not fall if the jacks fail.

6. Flammable Liquids

- a. Fire is an ever-present hazard in auto repair shops due to the presence of fuel and other flammable liquids. Flammable liquids must be kept in covered containers when not in use. The containers must be identified so that they can be distinguished from those containing non-flammable liquids.
- b. Gasoline or other flammable liquids are not to be used for cleaning. Liquids such as Stoddard solvent, kerosene or diesel fuel are much safer to use for cleaning parts and don't require the elaborate ventilation system necessary when flammable liquids are used.

7. Changing and Charging Storage Batteries

- a. Employees working with batteries to measure the specific gravity or handle the electrolyte must wear safety splash goggles and shields, which provide front and side protection. A splash of electrolyte in the eye can cause permanent damage. An eyewash station must be available for flushing contaminated eyes and body parts.
- b. Battery charging areas must be well ventilated because batteries, during charging, release flammable gases, which can explode and burn. For the same reason, open flames, sparks or electric arcs must not be permitted in battery charging areas.

8. Automotive Lifts

- a. For your safety, the Cal/OSHA requires all automotive lifts to be built to accepted standards. Each lift must also have a nameplate which shows the State Approval Number or a statement to the effect that it complies with ANSI B-153, I-1974 if installed before November 1976. New lifts installed after August 17, 1994, shall be constructed, maintained, and used in accordance with the provision of ANSI/ALI B153.1-1990. This only ensures that the lift met these standards when it was new. In order to make sure it remains safe, it must not be overloaded or improperly used, and it must be maintained in a safe condition. The oil level on all hydraulic lifts must be checked periodically.

- b. Automotive lifts shall be inspected annually by an industry qualified person.

9. Belt and Pulley Drives

- a. All belts, shafts, gears and other moving parts must be fully enclosed or safeguarded so that the worker cannot touch them.
- b. If there is an air compressor in your shop which starts automatically, it must have a warning sign on it stating that it starts without warning.

10. Guardrails

All elevated work platforms or storage platforms more than 42 inches above the floor must be guarded by standard guardrails on all exposed sides. The guardrails must also have toe boards, if the platform is 6 feet or more above an area where employees normally work or pass. The lack of a toe board could create a hazard from falling tools, materials or equipment.

11. Eye Protection

All employees in shop shall wear OSHA approved safety glasses during working hours, as shall others in the area, such as inspectors, stock handlers and supervisors. (Prescription safety glasses must have side shields attached.)

12. Hearing Protection

All employees in shop shall wear hearing protection when noise levels reach 85db or higher.

S. Machine/Welding Shops

1. General Safety Rules

- a. Operation, adjustment, and repair of any machine must be restricted to experienced and trained personnel or apprentices under "close" supervision.
- b. Safe work procedures must be established, with shortcuts and chance-taking prohibited.
- c. Supervisors are responsible for the enforcement of this policy and for making certain that no deviation from the safety rules is permitted.

- d. A tool rack should be provided for the convenience of the operator, repair, and maintenance personnel. All wrenches and tools needed for normal operations and adjustments should be included as standard equipment.
- e. Each machine must have a disconnect switch which can be locked in the **OFF** position, to disconnect the machine from the power source.
- f. Maintenance or repair should be permitted on any machine only after it's disconnect switch has been shut off, padlocked in the **OFF** position and tagged (Follow Lock Out/Tag Out Procedures).
- g. Machines should never be left running while unattended.
- h. Operators should not wear jewelry or loose-fitting clothing, especially loose sleeves or cuffs of shirts or jackets and neckties. Long hair should be pulled back and secured to keep away from moving parts.
- i. All employees shall wear OSHA approved safety glasses at all times during working hours while in the shop, as shall others in the area, such as inspectors, stock handlers and supervisors. (Prescription safety glasses must have side shields attached.)
- j. Throwing refuse or spitting in the machine coolant should not be allowed -- such actions foul the coolant.
- k. Manual adjusting and gauging (callipering) of work should not be permitted while the machine is running.
- l. Operators should use brushes, vacuum equipment, or special tools for removing chips.
- m. Operators should use the proper hand tools.
- n. Compressed air or other compressed gases in excess of 10 pounds per square inch should not be used to blow dirt, chips, or dust from clothing or hair. Brushes and/or vacuum equipment provide a less dangerous method.
- o. Baffles or shields should be placed around each machine so that employees from other machines or areas are not endangered.
- p. Because most machine operations involve the handling of heavy stock or heavy machine parts, such as face plates, chucks, etc., every operator should wear safety shoes.

- q. Splash guard shields and other means should be considered to minimize the exposure of cutting oils to the workers, which may cause skin irritation.
- r. All employees in shop shall wear hearing protection when noise levels exceed 85db.

T. Vehicle Backing

- a. Always park in such a way so as to avoid backing up all together if possible. (Eliminate the Hazard)
- b. Before backing into a job site or work area check out all hazards and plan a safe path. Get Out And Look if necessary (“GOAL”).
- c. Always use a spotter when backing trucks and equipment in work areas where a danger to ground personnel or vehicle operator is present.
- d. Spotters must stand far enough behind or in front of the vehicle to observe the positioning/backing path and any obstructions, and to allow for sufficient stopping distance in an emergency. Spotters shall not be positioned between the vehicle’s direction of travel and the obstacle. Spotters shall stay clear of the vehicles path and avoid walking backwards.
- e. Drivers shall stop when given the emergency signal from anyone on the job site.

U. Office and Clerical

- 1. Good housekeeping is a vital safety measure. Keep your office and work area neat and orderly.
- 2. Store materials in cabinets or rooms designated for that purpose and keep them orderly.
- 3. Heavy objects should be stored near floor levels.
- 4. Furniture and equipment that is defective must be removed from service and reported to your supervisor immediately.
- 5. Do not leave chairs, waste baskets, cords, and other articles in aisles where they constitute a tripping hazard.

6. File cabinets, desk drawers, cabinet doors, and furniture extensions must be kept closed when not in use.
7. No more than one drawer of a file cabinet may be kept open at the same time.
8. Place the heaviest load in lower file cabinet drawers.
9. When closing a drawer, grasp the handle to avoid finger injuries.
10. Do not use common or sharp pointed pins for fastening paper together. Use staples or other approved fasteners.
11. Broken glass should be wrapped in paper, labeled "broken glass," and placed in a waste basket or in a special container provided for this purpose.
12. Use only approved ladders or step stools to reach material on high shelves or other similar locations. The use of office furniture in place of stepladders is prohibited.
13. Paper cutters should be safe construction and kept in good condition. Use these two common-sense precautions: keep your fingers away from the knife; keep the knife in the down position when not in use. Loose springs or guards should be repaired immediately.
14. When using or refilling staplers, keep fingers away from the operating parts.
15. Electrical equipment used in offices must be properly grounded or double-insulated to prevent shock. Use approved three-conductor extension cords with a ground.
16. All electrical devices must be inspected for safety prior to use and periodically thereafter.
17. Electrical cords that are badly worn or damaged must be repaired or discarded. Electrical cords may not be spliced.
18. Materials and supplies may not be stored in a manner that will block access to electrical panels or exits.
19. Machines with exposed moving parts or hot surfaces must have appropriate guards and signage in place.
20. Flammable liquids must be stored in chemically approved metal containers, properly labeled, and kept away from heat.

21. Incompatible substances must not be stored in close proximity to each other. (Refer to the SDS)
22. Caution should be taken in the use and storage of knives, scissors, letter openers, and other sharp-pointed objects.
23. Turn on lights before entering a dark room or dark corridor.
24. To avoid falling, do not tilt back in a straight chair or lean back too far in a swivel chair.
25. Protruding objects should be removed or bent down.
26. All employees should be aware of emergency procedures for their work areas with respect to fires, bomb threats, and emergency exits.
27. All aisles, hallways, and stairways must be cleared of obstructions.
28. Do not read while walking, keep eyes on path. (Look Where You Walk and Walk Where You look)
29. Never run in halls or offices.
30. Cables, extension cords, etc., must not be strung across surfaces where people may walk without proper walkover protection.
31. Keep to the right when walking in hallways, especially at doorways and blind corners.
32. Use caution when approaching doors that swing toward you.
33. When working directly behind a closed door, lock it to ensure nobody can open it.
34. All office machinery and equipment that can roll or slide about in an earthquake must be adequately secured.
35. Request help when lifting or moving heavy office supplies and equipment.
36. Never carry a load that reduces your visibility, especially when going up or down stairs.
37. Employees must use extra caution when going up or down stairs. Use the handrail at all times.
38. Report any hazards to your supervisor immediately for correction.

39. Torn carpets, loose or curled mats, liquids spilled on floors, inadequate lighting, failure of lights, or any condition that could cause tripping or slipping should be reported immediately to your supervisor for correction.
40. Fire protection cabinets should be placed away from doors or passageways, so they do not interfere with the office or work area exits.

BOARD AGENDA REPORT

Date: July 7, 2026
Item Number: 8
APN: N/A

SUBJECT: REVIEW AND TAKE POSSIBLE ACTION TO APPROVE THE RESOLUTION ADOPTING THE DISRUPTION OF TELEPHONIC OR INTERNET SERVICE DURING BOARD MEETINGS POLICY

RECOMMENDED ACTION: Approve the Resolution Adopting a Disruption of Telephonic or Internet Service During Board Meetings Policy

BACKGROUND AND/OR HISTORY:

The Ralph M. Brown Act (Government Code section 54950 et seq.) imposes open meeting requirements on local legislative bodies. In 2025, the Legislature adopted Senate Bill 707 (SB 707), which reorganizes, clarifies, and updates various Brown Act provisions, including those governing teleconferencing, remote public participation, and meeting procedures.

SB 707 requires “eligible legislative bodies” to follow specific requirements for providing remote access to public participants in Board meetings via two-way audiovisual platforms or two-way telephonic services; captioning when using audiovisual platforms; and expanded accessibility and translation for notices and websites.

The proposed policy establishes procedures for responding to service disruptions during Board meetings, including temporary recesses, restoration efforts, meeting continuation procedures, and recordkeeping requirements. The policy also provides procedures for addressing disruptions caused by remote participants. Adoption of the policy will ensure the District remains compliant with Brown Act requirements while maintaining transparency and public access to Board meetings.

FISCAL IMPACT: None

ATTACHMENTS:

- Resolution
 - Draft Policy
-

BOARD MOTION:

Motion by: _____ Second by: _____

VOTE:

B. DeBoer (Yes/No) J. DeBoer (Yes/No) Doornenbal (Yes/No) Orvis (Yes/No) Tobias (Yes/No)

ACTION(S) TO BE TAKEN:

**OAKDALE IRRIGATION DISTRICT
RESOLUTION NO. 2026-NIL**

**DISRUPTION OF TELEPHONIC OR INTERNET SERVICE DURING
BOARD MEETINGS POLICY**

WHEREAS, Senate Bill 707 amended the Ralph M. Brown Act to require eligible legislative bodies to adopt a policy addressing disruptions in telephonic or internet service that prevent members of the public from participating remotely in public meetings; and

WHEREAS, the Board of Directors of the Oakdale Irrigation District desires to adopt a policy establishing procedures for responding to such service disruptions in accordance with Government Code section 54953.4.

NOW, THEREFORE, BE IT RESOLVED that the Board of Directors of the Oakdale Irrigation District hereby adopts the Disruption of Telephonic or Internet Service During Board Meetings Policy, effective immediately upon adoption.

BE IT FURTHER RESOLVED that this policy shall remain in full force and effect until amended or repealed by action of the Board of Directors.

PASSED AND ADOPTED by the Board of Directors of the Oakdale Irrigation District at a regular meeting held on July 7, 2026, by the following roll call vote:

AYES:

NOES:

ABSTAIN:

ABSENT:

ATTEST:

APPROVED:

SCOT A. MOODY, Secretary

**THOMAS D. ORVIS, President
Board of Directors**

OAKDALE IRRIGATION DISTRICT

DISRUPTION OF TELEPHONIC OR INTERNET SERVICE DURING BOARD MEETINGS POLICY

1. BACKGROUND

Senate Bill 707 (2025) amended the Brown Act to require eligible legislative bodies to adopt, on or before July 31, 2026, a policy addressing how the agency will respond to disruptions in telephonic or internet service that prevent members of the public from participating remotely.

2. PURPOSE

This policy establishes procedures for responding to a disruption in either two-way telephonic or two-way audiovisual platform (or both) that provide remote public access to meetings of the Board of Directors (“Board”) of the Oakdale Irrigation District (“District”), as required by the Brown Act (Government Code section 54953.4). The policy ensures transparency, public participation, and the continuation of meetings during technological disruptions.

3. DEFINITIONS

“Service Disruption” means any failure, outage, or other interruption to the District’s remote access services that prevents members of the public from participating in a Board meeting through the remote access service.

“Remote Access Services” means any two-way telephonic service and/or two-way audiovisual platform used to provide real-time remote public attendance and participation in meetings.

“Two-way audiovisual platform” means an online platform that provides participants with the ability to participate in a meeting via both an interactive video conference and a two-way telephonic service.

“Two-way telephonic service” means a telephone service that does not require internet access and allows participants to dial a telephone number to listen and verbally participate.

4. APPLICABILITY

This policy applies to all open and public meetings of the Board at which remote public participation is required under the Brown Act. Consistent with the Brown Act, this policy shall not apply to the following meetings:

- a. Meetings to attend a judicial or administrative proceeding to which the District is a party.
- b. Meetings held to inspect real or personal property, provided that the topic of the meeting is limited to items directly related to the real or personal property.
- c. Meetings held to meet with elected or appointed officials of the United States or the State of California, solely to discuss a legislative or regulatory issue affecting the District and over which the federal or state officials have jurisdiction.
- d. Meetings held to meet in or nearby a facility owned by the District, provided that the topic of the meeting is limited to items directly related to the facility.
- e. Meetings held in an emergency situation pursuant to Government Code section 54956.5.

5. REMOTE PUBLIC ACCESS GENERALLY

When remote public access is required under the Brown Act, the Board shall provide members of the public with an opportunity to attend and participate in the meeting using a two-way audiovisual platform or a two-way telephonic service, provided that adequate telephonic or internet service is operational at the meeting location.

If adequate telephonic or audiovisual service is not operational at the meeting location, the Board shall not be required to provide remote access. If adequate telephonic or audiovisual is operational for only a portion of the meeting, the Board shall provide remote access during that portion of the meeting.

If a two-way audiovisual platform is used, the Board shall:

- a. Publicly post and provide a call-in option as well; and
- b. Activate any automatic captioning function that is available in the audiovisual platform.

If a two-way audiovisual platform is not provided, the Board shall provide a two-way telephonic service.

Members of the public participating remotely shall be provided the same opportunity to provide public comment as members of the public attending in person, including the same time allotment.

6. RESPONSE TO SERVICE DISRUPTIONS

If the Presiding Officer or Board Secretary becomes aware of a service disruption:

- a. The Presiding Officer, or Board Secretary, shall immediately announce the service

disruption to the public.

- b. The Presiding Officer shall call for a recess of the open session and may convene the District in an authorized closed session, consistent with the Brown Act (including closed session notice and public comment requirements if not already satisfied). The recess shall last for one (1) hour, or until service is restored, whichever is earlier.
- c. During the recess, District staff shall make a good faith effort to diagnose and restore the disrupted service.

7. RECONVENING THE OPEN SESSION

After the expiration of the one (1) hour recess, if remote access has not been restored, the Presiding Officer or Board Secretary shall report on the status of staff's efforts to restore remote access services, and the Board may reconvene to:

- a. Adjourn the meeting;
- b. Extend the recess to allow staff more time to make a good faith effort to restore remote access services; or
- c. Continue the open session portion of the meeting by adopting, by roll call vote, the following or substantially similar finding:

“The District has made good faith efforts to restore telephonic or internet service in accordance with its adopted policy, and the public interest in continuing the meeting outweighs the public interest in remote access.”

Upon adoption of the finding, the Board may continue the open session portion of the meeting despite the fact that remote access services have not been restored.

8. RECORDKEEPING

The Board Secretary or their designee shall enter a brief statement into the meeting minutes, including:

- a. The nature of the service disruption and the time the disruption began to occur;
- b. The time the meeting was reconvened (if applicable);
- c. Any finding adopted pursuant to Section 7.

9. RESPONSE TO MEMBERS OF THE PUBLIC DISRUPTING A MEETING

If the Presiding Officer or Board Secretary becomes aware of a member of the public who

is attending the meeting through remote access services and is disrupting the meeting or otherwise preventing other members of the public from attending or observing the meeting remotely or in-person:

- a. The Presiding Officer or Board Secretary shall warn the person who is participating through remote access services that the participant is disrupting the meeting and his or her failure to cease that behavior may result in his or her removal from the meeting.
- b. If the person to whom the Presiding Officer or Board Secretary gave the above warning persists in disrupting the meeting, the Presiding Officer shall order staff to:
 - i. Mute or otherwise limit the individual's ability to disrupt the meeting (including by muting the individual and/or switching off the ability for remote participants to be visible on the platform, as necessary), while allowing the individual to continue to observe and attend the meeting; or
 - ii. Remove the individual from the meeting if paragraph (a) does not address the disrupting behavior or is not available using the remote access service. In that circumstance, the meeting may continue following the removal of the disruptive individual.
 - iii. If the disruptive individual cannot be muted, have video suspended, or be removed from the meeting, as necessary to stop the disruption, the Presiding Officer may adjourn or recess the meeting. The purpose of any recess called due to a disruptive individual is to allow IT staff time to remove the disruptive individual or re-establish the meeting on the same platform without the disruptive individual. Under the Brown Act, no District business may be transacted during such recess. If the meeting is adjourned, such adjournment shall comply with the Brown Act procedures.
- c. "Disrupting" means behavior that actually disrupts, disturbs, impedes, or renders infeasible the orderly conduct of the meeting and includes, but is not limited to, one of the following:
 - i. A failure to comply with reasonable and lawful regulations pursuant to Government Code section 54954.3 or any other law or any applicable District policy.
 - ii. Engaging in behavior that constitutes use of force or a true threat of force (which means a threat that has sufficient indicia of intent and seriousness, that a reasonable observer would perceive it to be an actual threat to use force by the person making the threat.)

10. REVIEW AND UPDATES

This policy may be amended by the Board at a noticed public meeting in an open session and may not be placed on the consent calendar.

BOARD AGENDA REPORT

Date: July 7, 2026
Item Number: 9
APN: N/A

SUBJECT: APPROVE THE RESOLUTION ADOPTING THE REVISED IRRIGATION AND DRAINAGE INFRASTRUCTURE INSTALLATION POLICY

RECOMMENDED ACTION: Approve the Resolution Adopting the Revised Irrigation and Drainage Infrastructure Installation Policy

BACKGROUND AND/OR HISTORY:

OID's Irrigation and Drainage Infrastructure Installation Policy was originally adopted on October 2, 2012, and has not been updated since that time. The policy establishes procedures and requirements for the installation of irrigation and drainage infrastructure within District rights-of-way and easements.

The proposed revisions are administrative in nature and are intended to update the policy to align with the District's current Rules and Regulations Governing the Operation and Distribution of Irrigation Water. No substantive changes are proposed to the policy's purpose or overall intent.

FISCAL IMPACT: None

ATTACHMENTS:

- Resolution
 - Policy 2.110 – Irrigation and Drainage Infrastructure Installation
-

BOARD MOTION:

Motion by: _____ Second by: _____

VOTE:

B. DeBoer (Yes/No) J. DeBoer (Yes/No) Doornenbal (Yes/No) Orvis (Yes/No) Tobias (Yes/No)

ACTION(S) TO BE TAKEN:

**OAKDALE IRRIGATION DISTRICT
RESOLUTION NO. 2026-NIL**

**IRRIGATION AND DRAINAGE INFRASTRUCTURE INSTALLATION
POLICY**

WHEREAS, the Board of Directors of the Oakdale Irrigation District (“District”) desire to adopt a revised Irrigation and Drainage Infrastructure Installation Policy to facilitate the installation of irrigation and drainage infrastructure within a District right-of-way or easement.

NOW, THEREFORE BE IT RESOLVED, that the Oakdale Irrigation District Board of Directors hereby adopts the revised Irrigation and Drainage Infrastructure Installation Policy. This resolution will remain in effect until revocation by the Board of Directors of the Oakdale Irrigation District.

PASSED AND ADOPTED by the Oakdale Irrigation District Board of Directors at a regular meeting of said Board held on the 7th of July 2026, by the following roll call vote:

AYES:

NOES:

ABSTAIN:

ABSENT:

ATTEST:

APPROVED:

SCOT A. MOODY, Secretary

**THOMAS D. ORVIS, President
Board of Directors**



OAKDALE IRRIGATION DISTRICT Personnel Policies and Procedures

<i>Title</i> 2 – OPERATIONS	<i>Chapter</i> 1	<i>Section</i> 2.110 Irrigation and Drainage Infrastructure Installation Policy
Revised: 7-7-2026	Adopted: 10-2-2012	Page 1 of 2

PURPOSE

This Policy is established to facilitate the installation of irrigation and drainage infrastructure within a District right-of-way or easement. New infrastructure is to be in compliance with District Standard Construction Details and completed through use of force account.

SCOPE

This policy applies to all lands and facilities located within a District right-of-way, easement, or prescription and is intended to meet the purpose noted above and established herein.

POLICY AND PROCEDURE

1. PROCEDURE

a. Application

Applicant shall complete a STRUCTURE PERMIT APPLICATION and return to District with any and all applicable processing fees, engineering drawings, and copy of Grant Deed(s). Applicant to comply with any and all conditions of approval.

b. Construction Estimate

District Engineer to prepare Estimate of Probable Cost for project.

c. Payment

Applicant shall submit payment to District's Finance Department in the amount of the Estimate of Probable Cost inclusive of a 15% contingency.

d. Permit Approval

District to prepare Encroachment Permit, Agricultural Discharge Permit, etc., for Board approval as necessary.

e. Contracting

With the exception of private irrigation crossings and agricultural discharge pipelines, the District shall have the sole authority to perform the work with District forces or contract with any Contractor with a valid service agreement in place for all construction.



OAKDALE IRRIGATION DISTRICT Personnel Policies and Procedures

<i>Title</i> 2 – OPERATIONS	<i>Chapter</i> 1	<i>Section</i> 2.110 Irrigation and Drainage Infrastructure Installation Policy
Revised: 7-7-2026	Adopted: 10-2-2012	Page 2 of 2

- f. Notification
District to coordinate start of construction with Applicant
- g. Project Close-out
District to complete project close-out and issue an invoice or a refund depending on the actual construction costs. Applicant shall be solely responsible for any and all project costs inclusive of administrative fees, permitting, inspection, material testing, etc.

2. OWNERSHIP, MAINTENANCE, AND FUTURE REPLACEMENT

- a. Turnout
District shall own and incur all future maintenance and replacement costs following construction.
- b. Private Drainage Works
Applicant shall own and maintain these facilities immediately following project close-out and per the terms and conditions of the Encroachment Permit. Replacement shall be per this policy.
- c. Private Pump Discharge into District Canal
Applicant shall own and maintain these facilities immediately following project close-out and per the terms and conditions of the Encroachment Permit. Replacement shall be per this policy.
- d. Private Driveway Crossings
Applicant shall own and maintain these facilities immediately following project close-out and per the terms and conditions of the Encroachment Permit. Replacement shall be per this policy.

Installation, ownership, maintenance, operation, and future replacement costs shall be as outlined in the Rules and Regulations Governing the Operation and Distribution of Irrigation Water within the Oakdale Irrigation District Service Area.

BOARD AGENDA REPORT

Date: July 7, 2026
Item Number: 10

SUBJECT: Annual Financial Report for The Year Ended December 31, 2025

RECOMMENDED ACTION: Receive and file the Annual Financial Report for the Year Ended December 31, 2025

BACKGROUND AND/OR HISTORY: State legislation requires that Oakdale Irrigation District (District) have an audit of its annual financial statements. The 2025 audit was conducted by C.J. Brown & Company CPAs (formerly Fedak & Brown, LLP), a firm of independent CPAs appointed by and reporting to the Board of Directors. The purpose of the audit is to state an opinion regarding the accuracy of the District's financial statements and results of operations.

After completing their audit of the District's records, C.J. Brown & Company CPAs has issued the opinion that the District's financial statements:

“present fairly, in all material respects, the respective financial position of the business-type activities of the District as of December 31, 2025, and 2024, and the respective changes in financial position, and where applicable, cash flows thereof for the years then ended in accordance with accounting principles generally accepted in the United States of America.”

This represents an unqualified audit opinion and is a result of the Board's sound fiscal policies, procedures, and financial management in the District.

FISCAL IMPACT: While there is no direct fiscal impact, receiving an unqualified audit opinion and reporting award is an indicator to external parties such as bond underwriters, granting agencies, and vendors of the District's financial policies and practices.

ATTACHMENTS: The 2025 Annual Financial Report will be distributed under separate cover and will be available on our website.

Board Motion:

Motion by: _____ **Second by:** _____

VOTE:

B. DeBoer (Yes/No) J. DeBoer (Yes/No) Doornenbal (Yes/No) Orvis (Yes/No) Tobias (Yes/No)

Action(s) to be taken:



DISCUSSION ITEMS

BOARD MEETING OF JULY 7, 2026

DISCUSSION ITEM

Date: July 7, 2026
Item Number: 11
APN: N/A

SUBJECT: DISCUSSION AND PRESENTATION ON THE DISTRICT'S SURFACE WATER DIVERSIONS, DEEP WELL PRODUCTION, AND SUSTAINABLE GROUNDWATER MANAGEMENT ACT

BACKGROUND AND DISCUSSION:

Eric Thorburn, OID's Water Resources Manager/District Engineer, will provide a presentation and overview of the District's surface water diversions, deep well production, and status of the Sustainable Groundwater Management Act for the Board's information.

Board Comments:



COMMUNICATIONS

BOARD MEETING OF
JULY 7, 2026

Thank YOU

GRACIE AIROLA



Dear Oakdale Irrigation District,
Thank you so much for choosing
me to be a recipient of this scholarship!
It truly means a lot to me and the
impact it will have on my future.
It is because of opportunities like
yours the future in Ag and the
world is bright! Thank you so much!
-Gracie Airola



CLOSED SESSION ITEMS

BOARD MEETING OF JULY 7, 2026